



US00D843033S

(12) **United States Design Patent** (10) **Patent No.:** **US D843,033 S**  
**Kim et al.** (45) **Date of Patent:** **\*\* Mar. 12, 2019**

(54) **REAR COMBINATION LAMP FOR VEHICLES**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **HYUNDAI MOTOR COMPANY**,  
Seoul (KR)  
(72) Inventors: **Jinhyun Kim**, Hwaseong-si (KR);  
**Bumyoung Song**, Seoul (KR)  
(73) Assignee: **Hyundai Motor Company**, Seoul (KR)

D806,919	S	*	1/2018	Hatton	.....	D26/28
D808,048	S	*	1/2018	Hannemann	.....	D26/28
D809,167	S	*	1/2018	Chi	.....	D26/28
D810,974	S	*	2/2018	Sato	.....	D26/28
D812,270	S	*	3/2018	Minamiyama	.....	D26/28
D812,271	S	*	3/2018	Katagiri	.....	D26/28
D812,273	S	*	3/2018	Wu	.....	D26/28
D812,274	S	*	3/2018	Wu	.....	D26/28
D812,275	S	*	3/2018	Wu	.....	D26/28

(\*\*) Term: **15 Years**

\* cited by examiner

(21) Appl. No.: **35/502,749**

*Primary Examiner* — Zenia I Bennett

(22) Filed: **Oct. 7, 2016**

(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris  
Glovsky and Popeo, P.C.; Kongsik Kim; Jhongwoo Jay  
Peck

(80) **Hague Agreement Data**

Int. Filing Date: **Oct. 7, 2016**  
Int. Reg. No.: **DM/093063**  
Int. Reg. Date: **Oct. 7, 2016**  
Int. Reg. Pub. Date: **Apr. 7, 2017**

(57) **CLAIM**

The ornamental design for a rear combination lamp for vehicles, as shown and described.

(30) **Foreign Application Priority Data**

Jun. 30, 2016 (KR) ..... 30-2016-0031800  
(51) **LOC (11) Cl.** ..... **26-06**  
(52) **U.S. Cl.**  
USPC ..... **D26/28**


**DESCRIPTION**

- 1. Rear combination lamp for vehicles
- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Left
- 1.5 : Right
- 1.6 : Top
- 1.7 : Bottom


(58) **Field of Classification Search**  
USPC ..... D26/28-36  
CPC ..... F21S 48/00; F21S 48/10; F21S 48/115;  
F21S 48/225; F21S 48/1233; F21S  
48/1266; F21S 48/1388; F21S 48/2266;  
F21V 21/04; B60Q 1/30; B60Q 1/2607;  
B60Q 1/2696; B62J 6/00; B62J 6/04  
See application file for complete search history.

The article is adhered on to the rear of a vehicle, and it is a combination of a lamp that is turned on the moment that the break is applied and a lamp that is turned on the moment that the reverse gear is applied; as appeared in the perspective drawing, the cover part of the front of this article and the lamp part inside the cover part are transparent.


**1 Claim, 7 Drawing Sheets**




1.1




1.2




1.3




1.4



**1.5**



**1.6**



**1.7**

