

US00D843103S

(12)

United States Design Patent
Desaever

(10)

Patent No.: **US D843,103 S**

(45)

Date of Patent: **** Mar. 19, 2019**

(54)

LACE HOLDER

(71)

Applicants:**Sascha Desaever**,
Watermaal-Bosvoorde (BE); **Nathalie Van Rompaey**, Watermaal-Bosvoorde (BE)

(72)

Inventor: **Sascha Desaever**,
Watermaal-Bosvoorde (BE)

(**)

Term: **15 Years**

(21)

Appl. No.: **35/502,776**

(22)

Filed: **Mar. 17, 2017**

(80)

Hague Agreement Data
Int. Filing Date: **Mar. 17, 2017**
Int. Reg. No.: **DM/095436**
Int. Reg. Date: **Mar. 17, 2017**
Int. Reg. Pub. Date: **Apr. 7, 2017**

(51)

LOC (11) Cl. **02-07**

(52)

U.S. Cl.
USPC **D2/978; D8/356**

(58)

Field of Classification Search
USPC D2/702, 703, 705, 706, 707, 853, 891,
D2/625, 639, 999, 972, 978; D8/349,
D8/354–356
CPC Y10T 24/32; Y10T 24/2708; Y10T
29/49826; Y10T 24/14; Y10T 24/1498;
Y10T 29/4902; Y10T 29/49904; H01F
7/0284; A44B 17/0029; A44B 18/00;
A44B 17/0058; A44B 17/0035; A44B
17/0041; A43C 7/00; A43C 11/165; A43C
7/005; A43C 7/04; A43C 7/08; A43C
1/00; A43C 11/20
See application file for complete search history.

(56)

References Cited
U.S. PATENT DOCUMENTS
2,818,871 A * 1/1958 Beaudry A45D 8/34
132/278
3,601,863 A * 8/1971 Dorsey B65D 63/16
24/16 PB

D270,779 S *

10/1983 Steinberg

24/306

4,514,882 A *

5/1985 Lavielle

B65D 67/02
24/16 PB

4,780,936 A *

11/1988 Brecher

A43C 7/005
24/306

4,949,437 A *

8/1990 Anderson

A43C 7/02
24/712.2

D339,909 S *

10/1993 Burton

D2/639

5,467,511 A *

11/1995 Kubo

A43C 7/00
24/712.1

D367,954 S *

3/1996 Dion

D2/946

D369,671 S *

5/1996 Gordon

D11/218

D371,232 S *

7/1996 Fleming

D2/853

D379,108 S *

5/1997 Munoz

D2/639

D387,187 S *

12/1997 Connor

D11/200

D397,840 S *

9/1998 Slocum

D2/891

D407,886 S *

4/1999 Marable

D2/639

D410,192 S *

5/1999 Giese

D8/354

5,979,095 A *

11/1999 Schneider

G09F 3/005
24/704.1

(Continued)

Primary Examiner — Jennifer L Watkins

(57)

CLAIM
The ornamental design for a lace holder, as shown and described.

DESCRIPTION
1.-3. Lace holders
1.0 is a perspective top view of a first embodiment of a lace holder showing the new design;
2.1 is a top perspective view of a second embodiment of **1.0**;
2.2 is a perspective side view thereof;
3.1 is a top perspective view of a third embodiment of **1.0**; and
3.2 is a perspective view thereof in a position of use.
The bottom portion of the design is ghosted out in light gray and forms no part of the claim.

1 Claim, 5 Drawing Sheets

(56)


References Cited

U.S. PATENT DOCUMENTS


6,073,315 A * 6/2000 Rasmussen B65D 63/1018
24/16 PB
D471,081 S * 3/2003 Wu D8/356
6,952,864 B2 * 10/2005 Moreno A43C 7/02
24/306
7,650,706 B2 * 1/2010 Wartel A43B 1/0081
24/712.3
8,191,207 B1 * 6/2012 Holscher B65D 63/18
24/16 R
D691,027 S * 10/2013 Rainer D8/356
8,677,578 B2 * 3/2014 Singh A43C 7/005
24/712.2
D737,116 S * 8/2015 Lussier D8/349
D747,866 S * 1/2016 Armstrong D2/978
D754,960 S * 5/2016 Fracassi D2/946
D759,468 S * 6/2016 Rothbaum D8/356
D782,286 S * 3/2017 Rothbaum D8/356
9,642,417 B2 * 5/2017 Eldem A43B 1/0081
D801,783 S * 11/2017 Riner D8/356
D819,951 S * 6/2018 Lindsey D2/978
D824,658 S * 8/2018 Gabbidon D2/978
2004/0003487 A1 * 1/2004 Reiter A41F 1/002
24/303
2006/0168850 A1 * 8/2006 Wartel A43B 1/0081
36/136
2009/0230757 A1 * 9/2009 Chancharoen F16F 15/324
301/5.21

* cited by examiner


1.0




2.1



2.2



3.1



3.2

