



US00D843210S

(12) **United States Design Patent** (10) **Patent No.:** **US D843,210 S**
Friedman (45) **Date of Patent:** **** Mar. 19, 2019**

(54) **MIXING CONTAINER LID**

(71) Applicant: **Adam Friedman**, Gainesville, VA (US)

(72) Inventor: **Adam Friedman**, Gainesville, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/534,872**

(22) Filed: **Jul. 31, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/814,448, filed on Jul. 30, 2015.

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/436; D7/396.2**

(58) **Field of Classification Search**

USPC D3/200, 201, 202, 203.1, 203.2, 203.6,
D3/901; D7/300, 300.1, 387, 392.1, 396,
D7/396.2, 397, 398, 401.1, 509, 510, 511,
D7/602, 900; D9/434, 435, 436, 445,
D9/446, 447, 454; D34/7, 10, 11;
D24/112, 119, 121, 127, 136, 216, 222,
D24/224

CPC A61J 1/1412; B65D 1/02; B65D 1/323;
B65D 1/0246; B65D 1/0233; B65D 1/08;
B65D 1/10; B65D 25/40; B65D 25/42;
B65D 25/44; B65D 25/46; B65D 25/48;
B65D 25/77; B65D 41/56; B65D 41/62;
B65D 47/06; B65D 47/08; B65D 39/00;
B65D 39/0047; B65D 43/00; B65D
43/02; B65D 51/02; B65D 51/04; A62C
31/02; B05B 17/00; A45D 34/00; A45D
34/042; A45D 2040/0006; A45D
2040/093; A47J 43/27

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D244,260	S	*	5/1977	Walker		D9/446
D247,848	S	*	5/1978	Croyle		D9/447
4,503,992	A	*	3/1985	Sitko		B65D 47/06 220/713
D278,413	S	*	4/1985	Woodcock		D9/446
D326,819	S	*	6/1992	Border		D32/54
D346,718	S	*	5/1994	Timmermans		D7/391
D360,579	S	*	7/1995	Accarias		D9/447
D411,106	S	*	6/1999	Conrad		D9/436

(Continued)

FOREIGN PATENT DOCUMENTS

HU 92066-0003 * 5/2013

Primary Examiner — Jennifer Rivard

Assistant Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Symbus Law Group,
LLC; Clifford D. Hyra

(57) **CLAIM**

The ornamental design for a mixing container lid, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a mixing container lid showing my new design.

FIG. 2 is a bottom, rear and left side perspective view thereof.

FIG. 3 is a top view thereof.

FIG. 4 is a bottom view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is a right side view thereof.



FIG. 7 is a rear view thereof.

FIG. 8 is a front view thereof.

FIG. 9 is an exploded top, rear and right side perspective view thereof, shown in an alternate condition of use; and, FIG. 10 is an assembled top perspective view thereof.

The broken lines are shown for the purposes of illustrating environmental subject matter that forms no part of the claim.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D425,362	S *	5/2000	Meyers	D7/392
D469,353	S *	1/2003	Sturk	D9/443
D475,925	S *	6/2003	Sturk	D9/435
D541,943	S *	5/2007	Stewart	D24/199
D603,456	S *	11/2009	Brodsky	D20/28
D607,325	S *	1/2010	Rogers	D9/436
D608,833	S *	1/2010	Brodsky	D20/25
D612,236	S *	3/2010	Sturk	D9/443
D643,722	S *	8/2011	Gorskey	D9/439
D646,971	S *	10/2011	Chmela	B65D 41/48
				D9/438
D753,998	S *	4/2016	Murphey	D9/446
D763,076	S *	8/2016	Lane	D9/446
D763,079	S *	8/2016	Sturk	D9/447
2016/0029847	A1 *	2/2016	Friedman	A47J 43/27
				366/130
2016/0039580	A1 *	2/2016	Roese	B65D 41/58
				215/233

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10