



US00D843340S

(12) **United States Design Patent**
Lavin, Jr.

(10) **Patent No.:** **US D843,340 S**
(45) **Date of Patent:** **** Mar. 19, 2019**

- (54) **COLLAR DEVICE**
- (71) Applicant: **Edward F. Lavin, Jr.**, Houston, TX
(US)
- (72) Inventor: **Edward F. Lavin, Jr.**, Houston, TX
(US)
- (73) Assignee: **MY CORE CONTROL DEVELOPMENT, LLC**, Houston, TX
(US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/578,108**
- (22) Filed: **Sep. 19, 2016**
- (51) **LOC (11) Cl.** **14-01**
- (52) **U.S. Cl.**
USPC **D14/192**; D14/205
- (58) **Field of Classification Search**
USPC D14/205, 223, 137, 209.1, 214; D3/201,
D3/294; D9/721, 432; D8/356;
181/129, 130, 135; 379/430, 431;
381/380, 381, 384; 206/320; 220/324;
455/90.3, 575.1, 569.1; 242/405.1, 388.1,
242/379; 248/683
CPC H04R 1/1066; H04R 5/033; H04R 5/0335;
H04R 25/00; H04R 25/02; H04R 1/10
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
1,650,039 A * 11/1927 Price A45D 33/003
206/772
2,591,438 A * 4/1952 Kinman H04B 1/086
343/702
2,883,523 A * 4/1959 Meserow H04B 5/00
200/61.47
D281,033 S * 10/1985 Mohri D3/295

- 4,942,617 A * 7/1990 Boylan H04M 1/05
381/182
- D314,574 S * 2/1991 Kato D14/163
- D314,964 S * 2/1991 Chung D14/188
- D316,550 S * 4/1991 Sogabe D14/168
- 5,511,120 A * 4/1996 Hirata H01Q 1/242
379/433.02
- D374,871 S * 10/1996 Taniguchi D14/160
- 5,669,571 A * 9/1997 Graybill B65H 75/44
242/378.1
- 5,724,667 A * 3/1998 Furuno H04B 1/3833
379/422
- 5,850,440 A * 12/1998 Hannon H04M 1/06
379/446
- 6,058,184 A * 5/2000 Frank H04M 1/6075
379/420.02
- 6,285,757 B1 * 9/2001 Carroll H04B 1/385
345/619
- 6,434,249 B1 * 8/2002 Wei H02G 11/02
242/400.1


(Continued)

Primary Examiner — Paula Allen Greene
(74) *Attorney, Agent, or Firm* — Winstead PC

(57) **CLAIM**
I claim the ornamental design for a collar device, as shown and described.

DESCRIPTION
FIG. 1 shows a perspective view of a collar device; FIG. 2 shows a perspective view of a collar device; FIG. 3 shows a left side view of a collar device; FIG. 4 shows a right view of a collar device; FIG. 5 shows a front view of a collar device; FIG. 6 shows a back view of a collar device; FIG. 7 shows a top view of a collar device; and, FIG. 8 shows a bottom view of a collar device. The broken lines depict environment that forms no part of the claimed design. The dotted lines on the surface portions indicate contour and not surface decoration.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,438,248 B1 * 8/2002 Kamimura H04M 1/05
381/374
6,542,757 B2 * 4/2003 Bae H04M 1/15
379/428.02
6,578,683 B1 * 6/2003 Burke H02G 11/02
191/12 R
6,712,304 B1 * 3/2004 Taylor H04M 1/05
242/379
D506,744 S * 6/2005 Andre D14/205
D515,070 S * 2/2006 Andre D14/205
7,086,512 B2 * 8/2006 Shack H04M 1/15
191/12 R
D535,281 S * 1/2007 Yang D14/203.3
D566,107 S * 4/2008 Bowling D14/205
D567,216 S * 4/2008 Densho D14/205
7,372,974 B2 * 5/2008 Yanagishita H04R 1/1033
381/370
D583,362 S * 12/2008 Hsu D14/205
D590,371 S * 4/2009 Leinvuo D14/205
D604,501 S * 11/2009 Lee D3/201

D620,781 S * 8/2010 Weckworth D8/356
D641,738 S * 7/2011 Perez D14/223
D643,832 S * 8/2011 Park D14/218
D653,651 S * 2/2012 Ragde, Jr. D14/214
8,186,642 B2 * 5/2012 Weiss-Vons B65H 75/143
248/205.5
D685,771 S * 7/2013 Bertenthal D14/223
D706,643 S * 6/2014 Akana D9/432
D713,421 S * 9/2014 Kaneta D14/496
D716,274 S * 10/2014 Henning D14/223
D739,852 S * 9/2015 Jiang D14/240
D753,091 S * 4/2016 Miyake D14/205
D757,682 S * 5/2016 Perez D14/205
2003/0067171 A1 * 4/2003 Liao B65H 75/4449
290/1 E
2003/0157973 A1 * 8/2003 Yang H04M 1/04
455/569.1
2004/0048639 A1 * 3/2004 Obolo H04M 1/05
455/575.1
2009/0194630 A1 * 8/2009 Thiyagarajan B65H 75/4473
242/405.1
2012/0128193 A1 * 5/2012 Stevinson H04R 1/1033
381/384

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8