

(12) **United States Design Patent** (10) **Patent No.:** **US D843,545 S**
Waterman (45) **Date of Patent:** **** Mar. 19, 2019**

(54) **FLY TYING APPARATUS**

(71) Applicant: **Chuck Waterman**, San Diego, CA
(US)

(72) Inventor: **Chuck Waterman**, San Diego, CA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/658,340**

(22) Filed: **Jul. 30, 2018**

Related U.S. Application Data

(62) Division of application No. 29/593,443, filed on Feb. 8, 2017, now Pat. No. Des. 826,368.

(51) **LOC (11) Cl.** **22-05**

(52) **U.S. Cl.**
USPC **D22/134**

(58) **Field of Classification Search**
USPC D22/134, 199; 242/129.53; 43/57.1,
43/57.2, 20; D3/260, 315; 206/315.11
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,963,502 A * 6/1934 Phillips A01K 97/06
43/57.1
2,065,234 A * 12/1936 Martinez A01K 97/06
206/315.11

(Continued)

Primary Examiner — Catherine R Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Gazdzinski &
Associates, PC

(57) **CLAIM**

The ornamental design for a fly tying apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment (left-handed version) of a fly tying apparatus having accessory portions attached thereto, showing our new design;

FIG. 2 is a top plan view of the fly tying apparatus of FIG. 1;

FIG. 3 is a bottom plan view of the fly tying apparatus of FIG. 1;

FIG. 4 is a left side elevation view of the fly tying apparatus of FIG. 1;

FIG. 5 is a right side elevation view of the fly tying apparatus of FIG. 1;

FIG. 6 is a front elevation view of the fly tying apparatus of FIG. 1;

FIG. 7 is a rear elevation view of the fly tying apparatus of FIG. 1;

FIG. 8 is a perspective view of a second embodiment (right-handed version) of a fly tying apparatus having accessory portions attached thereto, showing our new design;

FIG. 9 is a top plan view of the fly tying apparatus of FIG. 8;

FIG. 10 is a bottom plan view of the fly tying apparatus of FIG. 8;

FIG. 11 is a right side elevation view of the fly tying apparatus of FIG. 8;


FIG. 12 is a left side elevation view of the fly tying apparatus of FIG. 8;

FIG. 13 is a rear elevation view of the fly tying apparatus of FIG. 8; and,

FIG. 14 is a front elevation view of the fly tying apparatus of FIG. 8.

The features shown in broken lines in the various figures are for illustrating environmental structure and form no part of the claimed design. More generally, the invention pertains to an ornamental design for an article of manufacture.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**

CPC A01K 97/00; A01K 97/06; A01K 97/26


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,578,045	A *	12/1951	Conrad		A01K 97/26
					242/129.53
3,507,071	A *	4/1970	Bryson		A01K 97/06
					43/57.1
D309,000	S *	7/1990	Stoop, Jr.		D22/134
D338,555	S *	8/1993	Olson		D3/260
D387,899	S *	12/1997	Okumura		D3/215
5,957,321	A *	9/1999	Jones		A01K 97/26
					206/315.11
6,079,148	A *	6/2000	Yoneno		A01K 97/06
					43/57.1
D689,977	S *	9/2013	Plott		D22/134
D795,575	S *	8/2017	Barraco		D3/260

* cited by examiner






FIG. 2




FIG. 3




FIG. 4






FIG. 5






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

