



US00D843572S

(12) **United States Design Patent**
Albertal

(10) **Patent No.:** **US D843,572 S**
(45) **Date of Patent:** **** Mar. 19, 2019**

- (54) **ELECTROCAUTERY BLADE**
- (71) Applicant: **Jorge Albertal**, Buenos Aires (AR)
- (72) Inventor: **Jorge Albertal**, Buenos Aires (AR)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/539,497**
- (22) Filed: **Sep. 15, 2015**
- (51) **LOC (11) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/144**
- (58) **Field of Classification Search**
USPC D24/143, 144, 146, 152, 170, 133
CPC A61B 18/1402; A61B 18/14; A61B
2018/00601; A61B 2018/00589
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,038,011 A * 9/1912 Snell A61B 1/06
362/120
- 2,029,487 A * 2/1936 Kleine A61B 18/10
362/119
- 3,939,839 A * 2/1976 Curtiss A61B 1/12
600/105
- 4,273,109 A * 6/1981 Enderby A61B 18/24
219/121.6
- 4,273,127 A * 6/1981 Auth A61B 17/3211
219/121.6
- D265,421 S * 7/1982 Moore D24/147
- 4,542,741 A * 9/1985 Burgin A61B 17/3211
362/119
- D289,084 S * 3/1987 Freitag D24/144
- 4,688,569 A * 8/1987 Rabinowitz A61B 18/1402
606/37
- 4,840,563 A * 6/1989 Altendorf A61C 1/088
174/36

- 4,876,110 A * 10/1989 Blanch A61B 18/1402
427/2.28
- 5,076,276 A * 12/1991 Sakurai A61B 17/22012
601/2
- 5,078,712 A * 1/1992 Easley A61B 18/1402
606/16
- 5,454,115 A * 9/1995 Okamoto G06F 15/82
712/215
- 5,484,434 A * 1/1996 Cartmell A61B 18/1402
606/37
- 5,531,743 A * 7/1996 Nettekoven A61B 18/14
606/41
- 5,542,945 A * 8/1996 Fritsch A61B 18/14
606/41
- D377,524 S * 1/1997 Lipp D24/130
(Continued)

Primary Examiner — Mark A Goodwin

(57) **CLAIM**

The ornamental design for an electrocautery blade, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an electrocautery blade constructed in accordance with an embodiment of the present invention;

FIG. 2 is a bottom perspective view of the electrocautery blade of FIG. 1;

FIG. 3 is a left side view of the electrocautery blade of FIG. 1;

FIG. 4 is right side view of the electrocautery blade of FIG. 1;


FIG. 5 is a bottom view of the electrocautery blade of FIG. 1;

FIG. 6 is a top view of the electrocautery blade of FIG. 1;

FIG. 7 is a rearview of the electrocautery blade of FIG. 1; and,

FIG. 8 is a front view of the electrocautery blade of FIG. 1.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,562,032 B1 *	5/2003	Ellman	A61B 17/32006	D762,854 S *	8/2016	Efinger	D24/144
				606/41	D762,855 S *	8/2016	Efinger	D24/144
6,610,057 B1 *	8/2003	Ellman	A61B 17/3213	D763,447 S *	8/2016	Efinger	D24/144
				606/41	D770,044 S *	10/2016	Fiksen	D24/144
7,147,634 B2 *	12/2006	Nesbitt	A61B 18/1402	D771,810 S *	11/2016	Kirwan, Jr.	D24/143
				606/45	D794,789 S *	8/2017	Kirwan, Jr.	D24/143
D551,764 S *	9/2007	Easley	D24/144	2005/0113824 A1 *	5/2005	Sartor	A61B 18/1402
D564,662 S *	3/2008	Moses	D24/144					606/42
D567,374 S *	4/2008	Reznik	D24/144	2005/0171408 A1 *	8/2005	Parker	A61B 90/35
7,935,113 B2 *	5/2011	Heim	A61B 18/1402					600/249
				606/41	2006/0069386 A1 *	3/2006	Dubnack	A61B 18/1402
D642,682 S *	8/2011	Chaudhary	A61B 17/3211					606/41
				D24/147	2006/0178667 A1 *	8/2006	Sartor	A61B 18/1402
D669,581 S *	10/2012	Van Wyk	D24/144					606/42
D730,519 S *	5/2015	Arnett	D24/146	2006/0293655 A1 *	12/2006	Sartor	A61B 18/1402
D741,481 S *	10/2015	Darian	D24/146					606/45
D746,443 S *	12/2015	Chen	D24/113	2012/0123405 A1 *	5/2012	Moua	A61B 42/10
D750,780 S *	3/2016	Ogane	D24/146					606/33
D751,707 S *	3/2016	Baron	A61B 18/08	2012/0316553 A1 *	12/2012	Balog	A61B 18/1402
				D24/144					606/33
					2013/0103032 A1 *	4/2013	Beaven	A61B 18/1482
									606/48

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7



FIG. 8