



US00D843625S

(12) **United States Design Patent** (10) **Patent No.:** **US D843,625 S**  
**Sherman et al.** (45) **Date of Patent:** **\*\* Mar. 19, 2019**

(54) **LIGHTED CABLE TERMINATION ASSEMBLY**

3,851,149 A 11/1974 Daley  
4,066,870 A 1/1978 Colten  
4,375,634 A 3/1983 Leis

(Continued)

(71) Applicants: **Adam Sherman**, Menlo Park, CA (US);  
**Rajasree Andeth Nair**, Kerala (IN);  
**Subhash Thanathalil Kumaran**,  
Kerala (IN)

OTHER PUBLICATIONS

International Search Report and Written Opinion of the International Searching Authority issued in PCT application No. PCT/US14/41170, dated Oct. 4, 2014, 9 pages.

(72) Inventors: **Adam Sherman**, Menlo Park, CA (US);  
**Rajasree Andeth Nair**, Kerala (IN);  
**Subhash Thanathalil Kumaran**,  
Kerala (IN)

*Primary Examiner* — Lakiya G Rogers

*Assistant Examiner* — Carissa C Fitts

(73) Assignee: **nVent Services GmbH**, Schaffhausen (CH)

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/493,147**

The ornamental design for a lighted cable termination assembly, as shown and described.

(22) Filed: **Jun. 5, 2014**

(51) **LOC (11) Cl.** ..... **26-05**

**DESCRIPTION**

(52) **U.S. Cl.**  
USPC ..... **D26/51**

(58) **Field of Classification Search**  
USPC ..... D26/37, 45, 40, 337, 38, 42, 46, 49, 51,  
D26/67, 68; 362/311.06  
CPC ..... F21L 2003/00; F21L 4/00; F21L 4/005;  
F21L 4/02; F21L 4/025; F21L 4/027;  
F21L 4/04; F21L 4/08; F21L 2005/00;  
F21L 7/00; F21L 11/00; F21L 13/00;  
F21L 13/04; F21L 13/08; F21L 14/02;  
F21V 5/04; F21K 9/50

FIG. 1 is an isometric view of a front, top, and left side of an ornamental design for a lighted cable termination assembly;  
FIG. 2 is a left side elevational view of the lighted cable termination assembly of FIG. 1;  
FIG. 3 is a right side elevational view of the lighted cable termination assembly of FIG. 1;  
FIG. 4 is a front elevational view of the lighted cable termination assembly of FIG. 1;  
FIG. 5 is a rear elevational view of the lighted cable termination assembly of FIG. 1;  
FIG. 6 is a top plan view of the lighted cable termination assembly of FIG. 1; and,  
FIG. 7 is a bottom plan view of the lighted cable termination assembly of FIG. 1.

See application file for complete search history.


The broken lines immediately adjacent to the shade lines in FIGS. 1-7 represent unclaimed boundaries of the design. The broken lines showing the remainder of the lighted cable termination assembly are for the purpose of illustrating

(56) **References Cited**

U.S. PATENT DOCUMENTS

726,801 A \* 4/1903 Maxwell ..... F16L 9/18  
138/115  
2,175,067 A 10/1939 Rolph  
D187,433 S \* 3/1960 Hammes ..... D26/52

(Continued)



environmental structure and form no part of the claimed design. The lens depicted in FIGS. 1-7 is transparent or translucent.

**1 Claim, 4 Drawing Sheets**

(56)

**References Cited**

U.S. PATENT DOCUMENTS

D287,410 S \* 12/1986 Johansson ..... D26/40  
 4,650,971 A 3/1987 Manecchi  
 D290,409 S \* 6/1987 Gendron ..... D26/67  
 D290,410 S \* 6/1987 Haggard ..... D26/68  
 4,716,508 A 12/1987 Kramer  
 4,792,717 A 12/1988 Ferenc  
 4,839,781 A 6/1989 Barnes et al.  
 4,847,447 A 7/1989 Eiswirth et al.  
 4,856,103 A 8/1989 Compton  
 4,866,329 A 9/1989 Ferenc  
 4,877,943 A 10/1989 Oiwa  
 D311,254 S \* 10/1990 Clair ..... D26/49  
 D336,689 S \* 6/1993 Hung ..... D10/114.1  
 D357,991 S \* 5/1995 Chen ..... D26/40  
 D377,229 S \* 1/1997 Shalvi ..... D26/104  
 D384,770 S 10/1997 Bray  
 D388,526 S 12/1997 Bray  
 5,792,987 A 8/1998 Dong et al.  
 D426,012 S \* 5/2000 Giese ..... D26/68  
 D426,013 S \* 5/2000 Landefeld ..... D26/68  
 D429,832 S \* 8/2000 Poon ..... D26/40  
 D440,339 S \* 4/2001 Landefeld ..... D26/68  
 D475,153 S \* 5/2003 Brunner ..... D26/67  
 D479,355 S \* 9/2003 Dalton ..... D26/67  
 6,808,293 B2 10/2004 Watanabe et al.  
 D500,378 S \* 12/2004 Kung ..... D26/40  
 7,025,476 B2 4/2006 Leadford

D528,236 S \* 9/2006 Strom ..... D26/37  
 D568,512 S \* 5/2008 Shiu ..... D26/40  
 D570,515 S \* 6/2008 Flaherty ..... D26/68  
 D592,783 S \* 5/2009 Flaherty ..... D26/68  
 7,540,631 B2 6/2009 Watanabe et al.  
 D599,923 S \* 9/2009 Shiu ..... D26/40  
 7,581,854 B2 9/2009 Ford  
 D610,730 S \* 2/2010 Flaherty ..... D26/68  
 8,047,679 B2 11/2011 Wu et al.  
 D657,087 S \* 4/2012 Krogman ..... D26/68  
 8,167,462 B2 5/2012 Kim et al.  
 8,282,249 B2 10/2012 Liang et al.  
 8,480,257 B2 7/2013 Shang et al.  
 8,496,349 B2 7/2013 Wu et al.  
 D694,931 S \* 12/2013 Meyer ..... D26/67  
 D725,808 S \* 3/2015 Andre ..... D26/37  
 D726,358 S \* 4/2015 Young ..... D26/40  
 D742,052 S \* 10/2015 Dorman ..... D26/40  
 D742,569 S \* 11/2015 Dorman ..... D26/42  
 D745,204 S \* 12/2015 Skira ..... D26/68  
 D747,022 S \* 1/2016 Leung ..... D26/40  
 D748,307 S \* 1/2016 Matthews ..... D26/37  
 D795,482 S \* 8/2017 Galipeau ..... D26/68  
 D814,092 S \* 3/2018 Chen ..... D26/67  
 D828,603 S \* 9/2018 Recker ..... D26/68  
 2008/0089058 A1 \* 4/2008 Galli ..... F21V 21/084  
 362/191  
 2009/0316147 A1 12/2009 Hamilton  
 2011/0228542 A1 9/2011 Hsueh  
 2012/0044682 A1 2/2012 Allen et al.  
 2012/0098404 A1 4/2012 Kaandorp et al.  
 2013/0120990 A1 5/2013 Wu et al.  
 2013/0314916 A1 \* 11/2013 Clore ..... F21V 5/04  
 362/235  
 2015/0198317 A1 \* 7/2015 Feller ..... H05B 33/0842  
 362/249.01  
 2015/0354779 A1 \* 12/2015 Sherman ..... F21V 5/04  
 362/311.06

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7