



US00D843690S

(12) **United States Design Patent**
Edmiston

(10) **Patent No.:** **US D843,690 S**
(45) **Date of Patent:** **** Mar. 26, 2019**

(54) **JACKET**

(71) Applicant: **NTA Enterprise, Inc.**, Pittsburgh, PA (US)

(72) Inventor: **Rachael Edmiston**, Moon Township, PA (US)

(73) Assignee: **NTA Enterprise**, Pittsburgh, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/618,867**

(22) Filed: **Sep. 25, 2017**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/551,628, filed on Jan. 15, 2016, now abandoned, which is a continuation-in-part of application No. 29/521,635, filed on Mar. 25, 2015, now Pat. No. Des. 798,029, (Continued)

(51) **LOC (11) Cl.** **02-02**

(52) **U.S. Cl.**
USPC **D2/839**

(58) **Field of Classification Search**
USPC D5/63-66; D11/95-116; D29/100, D29/121.1; D21/803-810, 829; D2/721, D2/724, 726, 727, 828, 829, 830, 831, D2/832, 833, 834, 836, 839, 847
CPC A41B 1/00; A41B 1/08; A41B 1/10; A41B 1/12; A41B 1/18; A41B 1/04; A41B 1/06; A41B 1/24; A41B 3/02; A41B 3/04; A41B 13/00; A41B 9/08; A41D 1/00; A41D 1/007; A41D 1/02; A41D 1/04; A41D 1/06; A41D 1/08; A41D 3/00; A41D 3/005; A41D 3/02; A41D 3/04; A41D 3/06; A41D 5/00; A41D 5/003; A41D 5/006; A41D 15/00; A41D 15/005; A41D 15/007; A41D 27/00; A41D 27/20; A41D 27/201; A41D 27/202; A41D 27/204; A41D 27/205; A41D 29/00; A41D 31/0088; A41D 31/02; A41D

24/00; A41D 24/38; A41D 23/00; A41D 13/00; A41D 13/0012; A41D 13/0015; A41D 13/012; A41D 13/0537; A41D 13/0543; A41D 2400/42; A41D 2400/38; A41D 2400/60; A41D 2400/22; A41D (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,119,270 A * 9/2000 Chou A41D 3/00
2/108
6,675,390 B1 * 1/2004 Chang A41D 3/00
2/96
D580,632 S * 11/2008 Adams D2/840
(Continued)

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Paul D Bohannon
(74) *Attorney, Agent, or Firm* — Blynn L. Shideler; Krisanne Shideler; BLK Law Group


(57) **CLAIM**

The ornamental design for a jacket, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a jacket according to a first embodiment of the present invention;
FIG. 2 is a rear elevation view of the jacket of FIG. 1;
FIG. 3 is a side elevation view of the left side of the jacket of FIG. 1;
FIG. 4 is a side elevation view of the right side of the jacket of FIG. 1;
FIG. 5 is a front elevation view of a jacket according to a second embodiment of the present invention;
FIG. 6 is a rear elevation view of the jacket of FIG. 5;
FIG. 7 is a side elevation view of the left side of the jacket of FIG. 5; and,
FIG. 8 is a side elevation view of the right side of the jacket of FIG. 5.

1 Claim, 2 Drawing Sheets



Related U.S. Application Data

which is a continuation-in-part of application No. 29/446,879, filed on Feb. 28, 2013, now abandoned.

(58) **Field of Classification Search**

CPC 2600/00; A41D 2600/102; A41D 7/00;
A63B 21/0552

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D632,059	S	*	2/2011	Abrams	D2/840
D639,023	S	*	6/2011	Iamartino	D2/750
D654,664	S	*	2/2012	Evans	D2/839
D685,158	S	*	7/2013	Lambertz	D2/828
D698,525	S	*	2/2014	Roberts	D2/839
D714,525	S	*	10/2014	Payne	D2/828
D746,550	S	*	1/2016	Roberts	D2/839
D757,397	S	*	5/2016	Huang	D2/828
D770,732	S	*	11/2016	Farron	D2/839
D798,029	S	*	9/2017	Edmiston	D2/839
2006/0048263	A1	*	3/2006	Walsh	A41D 27/10 2/69

* cited by examiner

