

US00D843875S

(12)

United States Design Patent

Akana et al.

(10) Patent No.:

US D843,875 S

(45) Date of Patent:

** Mar. 26, 2019

(54) **BAND**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Jody Akana**, San Francisco, CA (US); **Bartley K. Andre**, Palo Alto, CA (US); **Shota Aoyagi**, San Francisco, CA (US); **Anthony Michael Ashcroft**, San Francisco, CA (US); **Jeremy Bataillou**, San Francisco, CA (US); **Daniel J. Coster**, San Francisco, CA (US); **Daniele De Iuliis**, San Francisco, CA (US); **M. Evans Hankey**, San Francisco, CA (US); **Julian Hoenig**, San Francisco, CA (US); **Richard P. Howarth**, San Francisco, CA (US); **Jonathan P. Ive**, San Francisco, CA (US); **Duncan Robert Kerr**, San Francisco, CA (US); **Marc A. Newson**, London (GB); **Matthew Dean Rohrbach**, San Francisco, CA (US); **Peter Russell-Clarke**, San Francisco, CA (US); **Benjamin Andrew Shaffer**, San Jose, CA (US); **Mikael Silvano**, San Francisco, CA (US); **Christopher J. Stringer**, Woodside, CA (US); **Eugene Antony Whang**, San Francisco, CA (US); **Rico Zörkendörfer**, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/603,226**

(22) Filed: **May 8, 2017**

Related U.S. Application Data

(63) Continuation of application No. 29/563,038, filed on May 2, 2016, now Pat. No. Des. 786,127, which is a continuation of application No. 29/540,216, filed on Sep. 22, 2015, now Pat. No. Des. 755,070, which is

a continuation of application No. 29/499,052, filed on Aug. 11, 2014, now Pat. No. Des. 739,780.

(51) **LOC (11) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/34**


(58) **Field of Classification Search**
USPC D10/31, 32, 38, 39, 46, 70; D11/1–25, D11/86, 87; D14/344
CPC A44C 5/12; A44C 5/14; A44C 5/18; A44C 5/0053; A44C 5/0069; A44C 5/0076; A44C 5/00; A44C 5/0007; A44C 5/0015; A44C 5/0023; A44C 5/003; A44C 5/0061; A44C 5/147; A44C 5/185; A44C 5/2047; A44C 5/2052; G04B 37/00; G04B 37/1486; A44B 11/006; A44B 11/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

296,505	A	4/1884	Babbitt	
606,617	A	6/1898	Zirnkilton	
851,288	A *	4/1907	Hodges	245/6
D76,609	S	10/1928	Durand	
D83,282	S	2/1931	Smith	
1,962,037	A	6/1934	Schofer	
2,451,749	A	10/1948	Kreisler	
2,451,750	A	10/1948	Kreisler	
2,451,780	A	10/1948	Siska	
2,498,211	A	2/1950	Kreisler	
D161,189	S	12/1950	Kaibsj	
3,030,686	A	4/1962	Burkhardt	
D217,389	S	4/1970	Daringer	
3,665,565	A	5/1972	Kruger	
3,675,284	A	7/1972	Rieth	
3,686,734	A	8/1972	Labarte et al.	
3,965,670	A	6/1976	Ihringer	
D269,254	S	6/1983	Kishimoto	
4,627,231	A	12/1986	Kiuchi	
D297,123	S	8/1988	Kabaya	
5,201,789	A	4/1993	Fontana	
D343,584	S	1/1994	Olmes et al.	
5,363,351	A	11/1994	Carney	
D356,957	S	4/1995	Burgener	
D390,492	S	2/1998	Riley	
D401,181	S *	11/1998	Houlihan	D11/3
6,101,842	A	8/2000	Delacretaz	



US D843,875 S

Page 2

D438,812 S	3/2001	Bert	
D459,238 S	6/2002	Wunderman	
D473,818 S	4/2003	Salvisberg	
D494,098 S	8/2004	Cohen	
6,860,097 B2	3/2005	Dal	
D534,821 S	1/2007	Chen	
7,406,789 B2	8/2008	Story	
D588,487 S	3/2009	Hartzband	
D589,372 S *	3/2009	Miloradovic	D10/32
D599,680 S	9/2009	Schoepfer	
7,591,581 B2	9/2009	Lovegrove et al.	
D603,724 S	11/2009	Jorst et al.	
D612,748 S	3/2010	Jorst et al.	
D643,772 S	8/2011	Mikkelsen	
D655,497 S	3/2012	Stanley	
8,328,073 B1	12/2012	Smith et al.	
8,601,784 B2	12/2013	Kaltenrieder	
D718,170 S	11/2014	Aumiller et al.	
D724,469 S	3/2015	Akana et al.	
D727,197 S	4/2015	Akana et al.	
D727,198 S	4/2015	Akana et al.	
D727,199 S	4/2015	Akana et al.	
D727,787 S	4/2015	Akana et al.	
D728,405 S	5/2015	Potts et al.	
D729,674 S	5/2015	Behar	
D729,675 S	5/2015	Behar	
D731,346 S	6/2015	Akana et al.	
D735,588 S	8/2015	Shimunov	
D737,156 S	8/2015	Akana et al.	
D737,157 S	8/2015	Akana et al.	
D737,158 S	8/2015	Akana et al.	
D737,159 S	8/2015	Akana et al.	
D739,780 S	9/2015	Akana et al.	
D740,150 S	10/2015	Howsam	
D744,356 S	12/2015	Akana et al.	
D745,421 S	12/2015	Akana et al.	
D746,707 S	1/2016	Akana et al.	
D747,234 S	1/2016	Akana et al.	
D747,997 S	1/2016	Akana et al.	
D748,008 S	1/2016	Akana et al.	
D748,009 S	1/2016	Akana et al.	
D748,010 S	1/2016	Akana et al.	
D748,527 S	2/2016	Akana et al.	
D749,009 S	2/2016	Akana et al.	
D749,450 S	2/2016	Akana et al.	
D749,460 S	2/2016	Akana et al.	
D750,524 S	3/2016	Akana et al.	
D750,525 S	3/2016	Akana et al.	
D751,070 S	3/2016	Akana et al.	
D753,008 S	4/2016	Akana et al.	
D755,070 S	5/2016	Akana et al.	
D756,357 S	5/2016	Akana et al.	
D759,725 S	6/2016	Akana et al.	
D760,107 S	6/2016	Akana et al.	
D761,688 S	7/2016	Akana et al.	
D761,689 S	7/2016	Akana et al.	
D762,515 S	8/2016	Akana et al.	
D763,123 S	8/2016	Akana et al.	
D763,124 S	8/2016	Akana et al.	
D763,125 S	8/2016	Akana et al.	
D763,126 S	8/2016	Akana et al.	
D763,127 S	8/2016	Akana et al.	
D763,128 S	8/2016	Akana et al.	
D763,724 S	8/2016	Akana et al.	
D763,725 S	8/2016	Akana et al.	
D763,726 S	8/2016	Akana et al.	
D764,340 S	8/2016	Akana et al.	
D764,341 S *	8/2016	Akana	D11/3
D764,346 S	8/2016	Akana et al.	
D764,347 S	8/2016	Akana et al.	
D764,964 S	8/2016	Akana et al.	
D764,965 S	8/2016	Akana et al.	
D764,966 S	8/2016	Akana et al.	
D764,967 S	8/2016	Akana et al.	
D779,348 S *	2/2017	Haapakoski	D10/39
D779,990 S	2/2017	Akana et al.	
D784,831 S	4/2017	Akana et al.	
D790,374 S *	6/2017	Lean	D10/39
D813,076 S *	3/2018	Akana	D11/5

D822,525 S *	7/2018	Akana	D11/3
2007/0070823 A1	3/2007	Sima	
2007/0125123 A1	6/2007	Sierro et al.	
2012/0312052 A1	12/2012	Yliluoma et al.	
2014/0096345 A1	4/2014	Tschumi	
2014/0098649 A1	4/2014	Tschumi	
2016/0037841 A1 *	2/2016	Dey	A41D 20/00 2/170
2017/0188669 A1 *	7/2017	Dukerschein	A44C 5/2071
2018/0153266 A1 *	6/2018	Alturk	A44B 11/006
2018/0213895 A1 *	8/2018	Green	A44C 5/0053

FOREIGN PATENT DOCUMENTS

EP	2636328 A1	9/2013	
GB	618917 A	3/1949	
GB	2082277	6/1999	
GB	3005267	8/2002	
JP	D1058152	1/2000	
JP	D10744246	6/2000	
JP	D1124844	10/2001	
JP	D1158470	11/2002	
JP	D1263841	2/2006	
JP	D1320355	1/2008	
JP	2018000692 A *	1/2018	A61B 5/02233
WO	DM/047140-001	5/1999	
WO	DM/048231-004	8/1999	
WO	DM/049512-006	12/1999	
WO	DM/058718-003	3/2002	
WO	DM/064910-005	3/2004	
WO	DM/068702-001	9/2007	
WO	DM/076656-001	9/2011	
WO	DM/080373-001	3/2013	
WO	DM/080997-001	6/2013	
WO	WO-2013182397 A1	12/2013	

OTHER PUBLICATIONS

Rubber Tire Tread Apple Watch Replacement Band (available online) Retrieved from the internet Oct. 18, 2017 from URL: https://www.waloooproducts.com/products/waloo-trade-rubber-tire-tread-apple-watch-replacement-band?variant=16748785729.*

22mm Interlocking Stainless Steel Mesh Divers Watch Band Bracelet, XX,<<http://www.strapcode.com/store/22mm-interlocking-stainless-steel-mesh-divers-watch-band-bracelet-p-1255.html>>, accessed on Dec. 4, 2014.

28mm Reform Stainless Steel “Shark” Polished Mesh Watch Band Deployant Strap,< http://www.ebay.com/itm/28mm-Reform-Stainless-Steel-SHARK-Polished-Mesh-Watch-Band-Deployant-Strap-/231397551849?pt=US_Watch_Bands&hash=item35e05e6ee9>, accessed Dec. 4, 2014.

Adams, Ariel, “Max Bill by Junghans Watches for 2010,” A Blog to Watch.com,< <http://www.ablogtowatch.com/max-bill-by-junghans-watches-for-2010/>>, dated Mar. 25, 2010.

etsy.com, “1 Set Silver End Cap Clasp—Findings Large Toggle Clasp End Caps Buckle Connector with Five Inside Loops for Jewelry Making 26mm,”< <http://www.etsy.com/listing/101269004/1-set-silver-end-cap-clasp-findings?ref=market>>, Listed on Aug. 29, 2014, accessed Oct. 9, 2014.

Fitbit, “Fitbit Surge™ Fitness Super Watch”< <https://www.fitbit.com/surge>>, accessed Dec. 15, 2014.

Hadley Roma, Hadley-Roma Men’s MB3836RWSE 20 20-mm Stainless Steel Heavy Mesh Watch Strap,< http://www.amazon.com/Hadley-Roma-MB3836RWSE-20-20-mm-Stainless/dp/B005EJFWFA/ref=sr_1_213?ie=UTF8&qid=1416670549&sr=8-213&keywords=watch+band>, accessed Dec. 4, 2014.

Haedges, “1 Set Silver End Cap Clasp—Findings Large Toggle Clasp End Caps Buckle Connector with Five Inside Loops for Jewelry Making 26mm,”< <http://www.etsy.com/listing/101269004/1-set-silver-end-cap-clasp-findings?ref=market>>, Listed on Aug. 29, 2014, accessed Oct. 9, 2014.

Homego, “M6 Silver Smart Watch Cell Phone 1.54 inch Bluetooth 3.0 Dialer Outdoor Sports Pedometer,” amazon.com,< <http://www.>

amazon.com/Silver-Bluetooth-Dialer-Outdoor- Pedometer/dp/B00MQTBGK6>, accessed Dec. 15, 2014.

[Online] <http://www.apple-market.co.uk/wp-content/uploads/2015/06/Apple-Watch-42mm-Stainless-Steel-Case-with-Milanese-Loop-O.jpg>. Retrieved Mar. 28, 2016.

[Online] https://lh6.googleusercontent.com/zOUR6N5g8flH1ouyyCpI7PGTLCMGI_hor1fADdMLMKdwxbhVSUIzk-xdirsUk-KxTsHxN_In6WDNHZLo8HNhjGB7GWEXqtMA5bngmvH_MByEitDmuAc0TuFk86vYCArcw. Retrieved Feb. 17, 2015.

[Online] https://s.yimg.com/cd/resizer/2.0/FIT_TO_WIDTH-w500/8088fe4930fb9d97123f776d1cdeb7ca585d7485.jpg. Retrieved Feb. 17, 2015.

[Online] http://www.kingice.com/media/catalog/Product/Cache/1/image/9df78eab33525d08d6e5fb8d27136e95/m/e/menswatches-acx10059_1100.jpg. Retrieved Mar. 28, 2016.

[Online] http://www.luxurywatchstraps.co.uk/image_library/P2260073_zpsdd51d922.JPG. Retrieved Mar. 28, 2016.

[Online] http://www.gyrofish.com.au/media/catalog/product/cache/1/image/650x650/9df78eab33525d08d_6e5fb8d27136e95/t/r/triwestirling-lansen-chrono-mesh-watch-01.jpg. Retrieved Mar. 28, 2016.

Ruano, L., "Ikepod Solaris Watch by Marc Newson," Hypebeast.com,< <http://hypebeast.com/2009/1/ikepod-solaris-watch-by-marc-newson>>, dated Jan. 12, 2009.

Samsung, "Samsung Gear™ 2 Charcoal Black SM-R3800VSAXAR,"< <http://www.samsung.com/us/mobile/wearable-tech/SM-R3800VSAXAR>>, accessed Dec. 15, 2014.

The Alt Team, "Ziiiro Celeste Watch Hands-On", Dec. 12, 2012,< <http://www.gadgetmac.com/alt/ziiiro-celeste-watch-hands-on.html>>, accessed Dec. 4, 2014.

* cited by examiner

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Richard Kearney

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57)

CLAIM

The ornamental design for a band, as shown and described.

DESCRIPTION

FIG. 1 is a bottom front perspective view of a band showing the claimed design;

FIG. 2 is a bottom rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof; and,

FIG. 9 is a perspective view thereof showing the band in an environment in which it may be used.

The broken lines in FIG. 9 show environment that form no part of the claimed design.

FIGS. 1-9 are illustrated to show contrasting appearance. Areas of the band that appear in different shades of gray represent areas with contrasting appearances.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3





FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9