



US00D843927S

(12) **United States Design Patent**
Canankamp et al.

(10) **Patent No.: US D843,927 S**

(45) **Date of Patent: ** Mar. 26, 2019**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Mark Anthony Canankamp, Wadsworth, OH (US); Nick Brandon Clark, Akron, OH (US); Christopher Byron Davis, North Canton, OH (US); Brian David Digman, Sagamore Hills, OH (US); Timothy Daniel Donnelly, North Canton, OH (US); Logan Paul Gingery, Wooster, OH (US); Shannon Joseph Hughes, Rootstown, OH (US); Eric John Marazzi, Tallmadge, OH (US); Charles Kenneth Schmalix, Canal Fulton, OH (US); Daniel Scott Sheehan, Akron, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/647,168**

(22) Filed: **May 10, 2018**

(51) **LOC (11) Cl. 12-15**

(52) **U.S. Cl.**
USPC **D12/600; D12/579**

(58) **Field of Classification Search**
USPC D12/579, 586, 587, 588, 589, 590, 591, D12/600, 601, 900
CPC B60C 11/032; B60C 11/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D283,315 S	4/1986	Candiliotis	D12/147
D320,966 S	10/1991	Miller et al.	D12/147
D325,014 S	3/1992	Galante et al.	D12/147

D326,075 S	5/1992	Covert et al.	D12/147
D335,269 S *	5/1993	Adam	D12/587
D350,102 S	8/1994	Evraert et al.	D12/147
D365,060 S *	12/1995	McKisson	D12/590

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/610,541, filed Jul. 13, 2017, Goodyear.

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D445,380 S * 7/2001 Fantanzo D12/586
 D475,009 S 5/2003 Ochi D12/600
 D504,657 S 5/2005 Allen et al. D12/579
 D516,012 S 2/2006 Miller et al. D12/579
 D516,013 S 2/2006 Miller et al. D12/579
 D516,999 S 3/2006 Miller et al. D12/579
 D517,000 S 3/2006 Allen et al. D12/579
 D517,980 S 3/2006 Umstot et al. D12/600
 D520,939 S 5/2006 Allen et al. D12/600
 D528,068 S 9/2006 Umstot et al. D12/601
 D530,267 S 10/2006 Umstot et al. D12/600
 D549,155 S 8/2007 Umstot et al. D12/512
 D549,156 S 8/2007 Umstot et al. D12/512
 D549,161 S 8/2007 Morrison et al. D12/579
 D558,664 S 1/2008 Herbeuval et al. D12/579
 D563,862 S 3/2008 Morrison et al. D12/579
 D568,233 S 5/2008 Dixon et al. D12/512
 D578,957 S 10/2008 Bonko et al. D12/579
 D594,815 S 6/2009 Reim et al. D12/579
 D614,119 S 4/2010 Umstot et al. D12/587
 D628,958 S 12/2010 Fleckner D12/600
 D629,351 S 12/2010 Jacobs D12/600

D642,512 S 8/2011 Jacobs D12/600
 D643,804 S 8/2011 Dixon et al. D12/594
 D656,086 S 3/2012 Herbeuval et al. D12/579
 D667,367 S 9/2012 Bonko et al. D12/600
 D667,368 S 9/2012 Bonko et al. D12/600
 D682,190 S 5/2013 Uphouse et al. D12/600
 D713,328 S 9/2014 Umstot et al. D12/579
 D713,329 S 9/2014 Dixon et al. D12/579
 D728,456 S * 5/2015 Allison D12/579
 D728,457 S 5/2015 Reim et al. D12/580
 D729,150 S 5/2015 Jacobs et al. D12/579
 D729,155 S 5/2015 Jacobs et al. D12/600
 D730,272 S 5/2015 Fleckner D12/600
 D732,467 S 6/2015 Schimmoeller et al. D12/600
 D734,710 S 7/2015 Jacobs D12/580
 D736,694 S 8/2015 Jacobs D12/594
 D748,044 S 1/2016 Schuessler D12/580
 D748,569 S 2/2016 Sueyoshi D12/579
 D763,781 S 8/2016 Ashton et al. D12/579
 D763,782 S 8/2016 Dixon et al. D12/579
 D766,166 S 9/2016 Uphouse D12/579
 D770,372 S 11/2016 Umstot D12/604
 D776,046 S 1/2017 Dixon D12/605
 D802,523 S * 11/2017 Uphouse D12/579
 D821,966 S * 7/2018 Ninomiya D12/579

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6