US00D843927S

(12) United States Design Patent

Canankamp et al.

(10) Patent No.: US D843,927 S
(45) Date of Patent: ** Mar. 26, 2019

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(72) Inventors: **Mark Anthony Canankamp**, Wadswortb, OH (US); **Nick Brandon Clark**, Akron, OH (US); **Christopher Byron Davis**, North Canton, OH (US); **Brian David Digman**, Sagamore Hills, OH (US); **Timothy Daniel Donnelly**, North Canton, OH (US); **Logan Paul Gingery**, Wooster, OH (US); **Shannon Joseph Hughes**, Rootstown, OH (US); **Eric John Marazzi**, Tallmadge, OH (US); **Charles Kenneth Schmalix**, Canal Fulton, OH (US); **Daniel Scott Sheehan**, Akron, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/647,168**

(22) Filed: **May 10, 2018**

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/600**; D12/579

(58) **Field of Classification Search**
USPC D12/579, 586, 587, 588, 589, 590, 591, D12/600, 601, 900
CPC B60C 11/032; B60C 11/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D283,315 S		4/1986	Candiliotis	D12/147
D320,966 S		10/1991	Miller et al.	D12/147
D325,014 S		3/1992	Galante et al.	D12/147
D326,075 S		5/1992	Covert et al.	D12/147
D335,269 S	*	5/1993	Adam	D12/587
D350,102 S		8/1994	Evraert et al.	D12/147
D365,060 S	*	12/1995	McKisson	D12/590

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/610,541, filed Jul. 13, 2017, Goodyear.

Primary Examiner — Robert M. Spear
(74) *Attorney, Agent, or Firm* — Robert N. Lipcsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a right side elevational view thereof; the left side elevational view being identical thereto;
FIG. **4** is an enlarged fragmentary front elevational view thereof;
FIG. **5** is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,
FIG. **6** is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. **4**, with the exception of the inclusion of the sidewall in the claim.
In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D445,380	S	*	7/2001	Fantanzo	D12/586
D475,009	S		5/2003	Ochi	D12/600
D504,657	S		5/2005	Allen et al.	D12/579
D516,012	S		2/2006	Miller et al.	D12/579
D516,013	S		2/2006	Miller et al.	D12/579
D516,999	S		3/2006	Miller et al.	D12/579
D517,000	S		3/2006	Allen et al.	D12/579
D517,980	S		3/2006	Umstot et al.	D12/600
D520,939	S		5/2006	Allen et al.	D12/600
D528,068	S		9/2006	Umstot et al.	D12/601
D530,267	S		10/2006	Umstot et al.	D12/600
D549,155	S		8/2007	Umstot et al.	D12/512
D549,156	S		8/2007	Umstot et al.	D12/512
D549,161	S		8/2007	Morrison et al.	D12/579
D558,664	S		1/2008	Herbeuval et al.	D12/579
D563,862	S		3/2008	Morrison et al.	D12/579
D568,233	S		5/2008	Dixon et al.	D12/512
D578,957	S		10/2008	Bonko et al.	D12/579
D594,815	S		6/2009	Reim et al.	D12/579
D614,119	S		4/2010	Umstot et al.	D12/587
D628,958	S		12/2010	Fleckner	D12/600
D629,351	S		12/2010	Jacobs	D12/600
D642,512	S		8/2011	Jacobs	D12/600
D643,804	S		8/2011	Dixon et al.	D12/594
D656,086	S		3/2012	Herbeuval et al.	D12/579
D667,367	S		9/2012	Bonko et al.	D12/600
D667,368	S		9/2012	Bonko et al.	D12/600
D682,190	S		5/2013	Uphouse et al.	D12/600
D713,328	S		9/2014	Umstot et al.	D12/579
D713,329	S		9/2014	Dixon et al.	D12/579
D728,456	S	*	5/2015	Allison	D12/579
D728,457	S		5/2015	Reim et al.	D12/580
D729,150	S		5/2015	Jacobs et al.	D12/579
D729,155	S		5/2015	Jacobs et al.	D12/600
D730,272	S		5/2015	Fleckner	D12/600
D732,467	S		6/2015	Schimmoeller et al.	D12/600
D734,710	S		7/2015	Jacobs	D12/580
D736,694	S		8/2015	Jacobs	D12/594
D748,044	S		1/2016	Schuessler	D12/580
D748,569	S		2/2016	Sueyoshi	D12/579
D763,781	S		8/2016	Ashton et al.	D12/579
D763,782	S		8/2016	Dixon et al.	D12/579
D766,166	S		9/2016	Uphouse	D12/579
D770,372	S		11/2016	Umstot	D12/604
D776,046	S		1/2017	Dixon	D12/605
D802,523	S	*	11/2017	Uphouse	D12/579
D821,966	S	*	7/2018	Ninomiya	D12/579

* cited by examiner



FIG - 1



FIG - 2



FIG - 3



FIG - 4



FIG - 5



FIG - 6