



US00D843963S

(12) **United States Design Patent**
Montin

(10) **Patent No.:** **US D843,963 S**

(45) **Date of Patent:** **** Mar. 26, 2019**

(54) **MOBILE COMMUNICATION DEVICE**

(71) Applicant: **Petri Eero Juhani Montin**, Oulu (FI)

(72) Inventor: **Petri Eero Juhani Montin**, Oulu (FI)

(73) Assignee: **Dark Matter, LLC**, Abu Dhabi (AE)

(**) Term: **15 Years**

(21) Appl. No.: **29/594,943**

(22) Filed: **Feb. 23, 2017**

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**

USPC **D14/138 G**

(58) **Field of Classification Search**

USPC D14/138 C, 138 G, 248, 250, 341, 203.3,
D14/388, 389, 138 AC, 138 AD, 138 R;
D10/50, 65, 104.1

CPC G06F 1/1626; G06F 1/1641; G06F 1/1652;
H04M 1/027; H04M 1/0202; H04M
1/0279; H04M 1/0235; H04M 1/0237;
H04M 1/0239; H04M 1/0266; H04M
1/0268; H04M 1/029

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D676,403 S * 2/2013 Sung D14/138 G
D712,864 S * 9/2014 Hirota D14/138 G
D749,567 S * 2/2016 Lee D14/203.4
D770,408 S * 11/2016 Lee D14/138 G
D770,431 S * 11/2016 Lee D14/248
D779,471 S * 2/2017 Tien D14/250
D795,212 S * 8/2017 Daniel D14/138 G
D800,716 S * 10/2017 Akana D14/341

D801,947 S * 11/2017 Gordon D14/138 G
D803,209 S * 11/2017 Akana D14/341
2016/0050302 A1* 2/2016 Lee H04B 1/3888
455/575.1
2016/0227655 A1* 8/2016 Han H05K 5/0086
2018/0090821 A1* 3/2018 Lee H01Q 9/42

OTHER PUBLICATIONS

DarkMatter Says That Its KATIM Phone Is the World's 'Most Secure', Apr. 17, 2017, [online], [site visited Sep. 5, 2018]. Retrieved from url:https://www.forbesmiddleeast.com/en/darkmatter-says-that-its-katim-phone-is-the-worlds-most-secured/ (Year: 2017).*
HTC 10 evo, Nov. 2016, [online], [site visited Sep. 5, 2018]. Retrieved from url:https://www.gsmarena.com/htc_10_evo-pictures-8404.php (Year: 2016).*

* cited by examiner

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Tracey J Bell

(74) *Attorney, Agent, or Firm* — Michael J. Hughes


(57) **CLAIM**

The ornamental design for a mobile communication device, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of the mobile communication device of the present invention; FIG. 2 is a rear left perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






fig. 1




fig. 2




fig. 3




fig. 4




fig. 5




fig. 6




fig. 7



fig. 8