



US00D844073S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D844,073 S**
(45) **Date of Patent:** **** Mar. 26, 2019**

(54) **REMOTE CONTROLLER**

(71) Applicant: **SZ DJI TECHNOLOGY CO., LTD.**,
Shenzhen (CN)

(72) Inventors: **Min Kim**, Shenzhen (CN); **Siyoon Kim**, Shenzhen (CN); **Xing Huang**,
Shenzhen (CN)

(73) Assignee: **SZ DJI TECHNOLOGY CO., LTD.**,
Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/600,660**

(22) Filed: **Apr. 13, 2017**

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/566**; D21/333; D14/401

(58) **Field of Classification Search**
USPC D14/218, 349, 401, 480.5; D21/333, 566
CPC A63F 13/00; A63F 13/02; A63F 13/06;
A63F 9/24; G06F 17/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D543,952 S *	6/2007	Wu	D13/168
D605,237 S *	12/2009	Uemura	D21/566
D631,922 S *	2/2011	Kang	D21/453
D707,758 S *	6/2014	Norman	D14/401
D711,878 S *	8/2014	Bellinghausen	D14/401
D713,467 S *	9/2014	Sawhney	D21/324
D713,468 S *	9/2014	Sawhney	D21/324
D737,273 S *	8/2015	Schoenith	D14/401

FOREIGN PATENT DOCUMENTS

EM 003164441-0001 6/2016

* cited by examiner

Primary Examiner — Cynthia M. Chin

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **CLAIM**

The ornamental design for a remote controller, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a remote controller showing my new design;
 FIG. 2 is a bottom rear perspective view of a remote controller showing my new design;
 FIG. 3 is a front elevational view of the remote controller of FIG. 1;
 FIG. 4 is a rear elevational view of the remote controller of FIG. 1;
 FIG. 5 is a left side elevational view of the remote controller of FIG. 1;
 FIG. 6 is a right side elevational view of the remote controller of FIG. 1;
 FIG. 7 is a top plan view of the remote controller of FIG. 1;
 FIG. 8 is a bottom plan view of the remote controller of FIG. 1;
 FIG. 9 is a top front perspective view of the remote controller of FIG. 1 in an open configuration;
 FIG. 10 is a bottom rear perspective view of the remote controller of FIG. 9;
 FIG. 11 is a front elevational view of the remote controller of FIG. 9;
 FIG. 12 is a rear elevational view of the remote controller of FIG. 9;
 FIG. 13 is a left side elevational view of the remote controller of FIG. 9;
 FIG. 14 is a right side elevational view of the remote controller of FIG. 9;
 FIG. 15 is a top plan view of the remote controller of FIG. 9; and,
 FIG. 16 is a bottom plan view of the remote controller of FIG. 9.

1 Claim, 16 Drawing Sheets







FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16