



US00D844152S

(12) **United States Design Patent** (10) **Patent No.:** **US D844,152 S**
Neseem (45) **Date of Patent:** **** Mar. 26, 2019**

(54) **ARM SLING**

(71) Applicant: **Kahkashan Neseem**, Arlington, VA
(US)

(72) Inventor: **Kahkashan Neseem**, Arlington, VA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/586,315**

(22) Filed: **Dec. 2, 2016**

Related U.S. Application Data

(63) Continuation of application No. 29/534,522, filed on Jul. 29, 2015, now Pat. No. Des. 777,936.

(51) **LOC (11) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/190**

(58) **Field of Classification Search**

USPC D24/189-192; D29/120.1
CPC A61F 5/3738; A61F 5/3753; A61F 5/013;
A61F 5/3723; A61F 13/10; A61F 5/373;
A61F 5/3746; A61F 5/0118; A47C
20/023; A61G 13/1235; Y10S 128/15
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,888,244	A	6/1975	Lebold	
4,622,961	A	11/1986	Christensen	
4,834,082	A	5/1989	Ghadiali	
5,772,617	A	6/1998	Lay	
7,018,349	B1	3/2006	Joslin	
7,173,161	B1 *	2/2007	Kandt A61F 13/02 602/41
D557,811	S	12/2007	Brooks	
D574,962	S *	8/2008	Atkins D24/189
D577,123	S	9/2008	True	
D588,703	S *	3/2009	Boleratz D24/190
D740,951	S *	10/2015	Inou D24/188

D756,525	S	5/2016	Valdez	
9,492,303	B2 *	11/2016	Golden A61F 5/05841
9,895,254	B2 *	2/2018	Bieber A61F 5/373
2003/0163069	A1	8/2003	Scudere	
2006/0189906	A1	8/2006	Nelin et al.	
2008/0015479	A1	1/2008	Soscia	
2008/0119770	A1	5/2008	Miller	
2008/0183118	A1	7/2008	Weinberg et al.	

(Continued)

OTHER PUBLICATIONS

Canadian Office Action dated Feb. 9, 2016, in connection with corresponding Canadian Application No. 165329 (1 pg.).

Primary Examiner — Jennifer L Watkins

(74) *Attorney, Agent, or Firm* — Maier & Maier, PLLC

(57) **CLAIM**


The ornamental design for an arm sling, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an arm sling in a folded configuration, showing my design;
FIG. 2 is a rear view thereof;
FIG. 3 is a front view of the arm sling in an open configuration;
FIG. 4 is a rear view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a right side view thereof;
FIG. 8 is a top view thereof; and,
FIG. 9 is a perspective view of the arm sling in a cylindrical configuration.

The broken line showing in the Figures shows portions of the arm sling and forms no part of the claimed design. The arm sling is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claim.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0088673 A1 4/2009 Bittar
2011/0218468 A1 9/2011 Neseem

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8




Fig. 9