



US00D844202S

(12) **United States Design Patent**
Bennett

(10) **Patent No.:** **US D844,202 S**
(45) **Date of Patent:** **** Mar. 26, 2019**

(54) **LANTERN**

(71) Applicant: **Energizer Brands, LLC**, St. Louis,
MO (US)

(72) Inventor: **Jason Robert Bennett**, Sydney (AU)

(73) Assignee: **Energizer Brands, LLC**, St. Louis,
MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/580,591**

(22) Filed: **Oct. 11, 2016**

(51) **LOC (11) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/41; D26/40**

(58) **Field of Classification Search**
USPC D26/37-51
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 7/00; F21L 11/00; F21L 13/00;
F21L 13/04; F21L 13/08; F21L 14/02;
F21L 17/00; F21L 19/00; F21L 25/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|-----------------|-------|--------|
| D443,706 S | * | 6/2001 | Israel | | D26/40 |
| D498,319 S | * | 11/2004 | Poon | | D26/40 |
| D518,211 S | * | 3/2006 | Krieger | | D26/40 |
| D520,163 S | * | 5/2006 | Krieger | | D26/40 |
| D541,961 S | * | 5/2007 | Tarter | | D26/40 |
| D542,953 S | * | 5/2007 | Lee | | D26/40 |
| D548,381 S | * | 8/2007 | Tremeer | | D26/40 |
| D554,785 S | | 11/2007 | Brown et al. | | |
| D581,076 S | | 11/2008 | Brown et al. | | |
| D650,105 S | | 12/2011 | Crawford et al. | | |

| | | | | | |
|------------|---|---------|----------------|-------|--------|
| D693,499 S | | 11/2013 | Bennett et al. | | |
| D706,968 S | * | 6/2014 | McDonough | | D26/41 |
| D803,443 S | * | 11/2017 | Burke | | D26/40 |

OTHER PUBLICATIONS

Coleman CPX 6 Easy Hanging 400L LED Lantern, retrieved from
<<http://www.coleman.com/cpx-6-easy-hanging-led-lantern/2000024042.html>> on Nov. 15, 2015, 3 pages.

(Continued)

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Alston & Bird LLP


(57) **CLAIM**

The ornamental design for a lantern, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lantern according to one exemplary embodiment of the present design.
 FIG. 2 is a front view the lantern of FIG. 1.
 FIG. 3 is a back view of the lantern of FIG. 1.
 FIG. 4 is a left side view of the lantern of FIG. 1.
 FIG. 5 is a right side view of the lantern of FIG. 1.
 FIG. 6 is a top view of the lantern of FIG. 1.
 FIG. 7 is a bottom view of the lantern of FIG. 1.
 FIG. 8 is a perspective view of a lantern according to a second exemplary embodiment of the present design.
 FIG. 9 is a front view the lantern of FIG. 8.
 FIG. 10 is a back view of the lantern of FIG. 8.
 FIG. 11 is a left side view of the lantern of FIG. 8.
 FIG. 12 is a right side view of the lantern of FIG. 8.
 FIG. 13 is a top view of the lantern of FIG. 8; and,
 FIG. 14 is a bottom view of the lantern of FIG. 8.
 The broken lines show portions of the article which form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Energizer Fusion LED Traditional Lantern, retrieve from <<http://www.energizer.com/flashlights-lighting/outdoor-lantern>> on Nov. 15, 2016, 3 pages.

Energizer LED Lantern MFAL35YJP19Jul15, retrieved from <<http://global.rakuten.com/en/store/arimas/item/9223114/>> on Nov. 15, 2016, 8 pages.

Energizer Weathertready 360° LED Area Light, retrieved from <<http://www.energizer.com/flashlights-lighting/led-area-light>> on Nov. 15, 2016, 3 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14