



US00D844476S

(12) **United States Design Patent**
Leach et al.

(10) **Patent No.:** **US D844,476 S**
(45) **Date of Patent:** **** Apr. 2, 2019**

| | |
|---|--|
| (54) SECURITY DEVICE | 6,996,942 B2 * 2/2006 Geiger E04B 1/3211 446/116 |
| (71) Applicant: Limpet Solution Limited , Somerset (GB) | 7,434,359 B2 * 10/2008 Geiger E04B 1/3211 446/116 |
| (72) Inventors: Matthew James Leach , Norfolk (GB); James Sheppard , Dorset (GB) | D657,275 S * 4/2012 Cowles E04B 1/3211 D10/70 |
| | D692,332 S * 10/2013 Ni E04B 1/3211 D10/106.1 |

(73) Assignee: **Limpet Solution Limited**, Somerset
(GB)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J Kukella

(21) Appl. No.: **29/608,255**

(74) *Attorney, Agent, or Firm* — TraskBritt

(22) Filed: **Jun. 20, 2017**

(57) **CLAIM**

(51) **LOC (11) Cl.** **10-05**

The ornamental design for a security device, as shown and described.

(52) **U.S. Cl.**
USPC **D10/106.9**

(58) **Field of Classification Search**
USPC D10/65, 70, 104.1, 106.1, 106.9, 106.91,
D10/106.92, 106.93, 121; D14/137, 230,
D14/496
CPC G08B 21/00; G08B 21/0261; G08B
21/0275; G08B 13/14; G08B 13/2434;
G09F 3/08
See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a security device according to our design;
FIG. 2 is a top view of the security device shown in FIG. 1;
FIG. 3 is a bottom view of the security device shown in FIG. 1;
FIG. 4 is a front view of the security device shown in FIG. 1;
FIG. 5 is a back view of the security device shown in FIG. 1;
FIG. 6 is a right side view of the security device shown in FIG. 1; and,
FIG. 7 is a left side view of the security device shown in FIG. 1.


In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|-----------|-------|------------------------|
| D236,443 S * | 8/1975 | Schroeder | | D10/106.1 |
| 4,009,543 A * | 3/1977 | Smrt | | E04B 1/3211 52/222 |
| 4,262,461 A * | 4/1981 | Johnson | | E04B 1/3211 403/172 |
| 4,611,441 A * | 9/1986 | Wickens | | E04B 1/3211 52/81.4 |
| 4,703,594 A * | 11/1987 | Reber | | E04B 1/3211 403/172 |

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7