



US00D844529S

(12) **United States Design Patent**  
**Lemke**

(10) **Patent No.:** **US D844,529 S**

(45) **Date of Patent:** **\*\* Apr. 2, 2019**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Peter Lemke**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/613,309**

(22) Filed: **Aug. 9, 2017**

(30) **Foreign Application Priority Data**

Feb. 9, 2017 (EM) ..... 003 745 553-0001

(51) **LOC (11) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/209**

(58) **Field of Classification Search**  
USPC ..... D12/204–213; D21/533, 561, 563  
CPC .... B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D589,428 S \* 3/2009 Scheu ..... D12/211  
D626,053 S \* 10/2010 Groom ..... D12/211  
D666,952 S \* 9/2012 Pollmann ..... D12/209

D696,176 S \* 12/2013 Rojas ..... D12/209  
D721,028 S \* 1/2015 Lemke ..... D12/211  
D748,034 S \* 1/2016 Hall ..... D12/211  
D748,558 S \* 2/2016 Hans ..... D12/211  
D749,029 S \* 2/2016 Wheel ..... D12/211  
D756,880 S \* 5/2016 Zhao ..... D12/211  
D769,166 S \* 10/2016 Juergens ..... D12/211  
D787,409 S \* 5/2017 Smith ..... D12/211  
D793,939 S \* 8/2017 Hans ..... D12/211  
D797,023 S \* 9/2017 Rueckheim ..... D12/209  
D801,902 S \* 11/2017 Pena ..... D12/211  
D823,223 S \* 7/2018 Sempek ..... D12/211  
D828,267 S \* 9/2018 Badstuebner ..... D12/209  
D829,631 S \* 10/2018 Gallert ..... D12/209  
D833,941 S \* 11/2018 Chung ..... D12/209  
D834,486 S \* 11/2018 Patel ..... D12/209  
D834,488 S \* 11/2018 Smith ..... D12/209  
D836,052 S \* 12/2018 Sempek ..... D12/209

\* cited by examiner

*Primary Examiner* — Sheryl Lane

*Assistant Examiner* — Calvin E Vansant

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP; Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,

FIG. 2 is a front, side perspective view thereof.

**1 Claim, 2 Drawing Sheets**







**Fig. 1**





**Fig. 2**