



US00D844555S

(12) **United States Design Patent**
McLean et al.

(10) **Patent No.:** **US D844,555 S**
(45) **Date of Patent:** **** Apr. 2, 2019**

(54) **PERSONAL ELECTRONIC DEVICE COVER WITH INTEGRATED FUEL CELL SYSTEM**

- (71) Applicant: **Intelligent Energy Limited**,
Loughborough (GB)
- (72) Inventors: **Gerard Francis McLean**, West
Vancouver (CA); **Jean-Louis Iaconis**,
Burnaby (CA)
- (73) Assignee: **Intelligent Energy Limited**,
Loughborough (GB)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/514,824**
- (22) Filed: **Jan. 16, 2015**

Related U.S. Application Data

- (62) Division of application No. 29/448,036, filed on Mar. 8, 2013, now abandoned.
- (51) **LOC (11) Cl.** **13-02**
- (52) **U.S. Cl.**
USPC **D13/103; D14/440**
- (58) **Field of Classification Search**
USPC D13/103, 104, 107, 108, 118, 119;
D14/250, 440, 251, 253, 240, 217, 496,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,363,349 A * 1/1968 Nelson B42F 17/18
40/391
- D319,218 S * 8/1991 Sakaguchi D14/440
(Continued)

Primary Examiner — Brett Miller

(74) *Attorney, Agent, or Firm* — Baker & Hostetler LLP

(57) **CLAIM**

The ornamental design for a personal electronic device cover with integrated fuel cell system, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering a first portion of the cover;

FIG. 2 is a perspective view of a second embodiment of the personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering a second portion of the cover;

FIG. 3 is a perspective view of a third embodiment of the personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering a third portion of the cover;

FIG. 4 is a perspective view of a fourth embodiment of the personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering the first and second portions of the cover;

FIG. 5 is a perspective view of a fifth embodiment of the personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering the second and third portions of the cover;

FIG. 6 is a perspective view of a sixth embodiment of the personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering the first and third portions of the cover;

FIG. 7 is a perspective view of an seventh embodiment of the personal electronic device cover with integrated fuel cell system showing our new design with fuel cells covering the first, second, and third portions of the cover;

FIG. 8 is a perspective view of the first and sixth embodiments in a partially open configuration;

FIG. 9 is a perspective view of the second and fifth embodiments in a partially open configuration;

FIG. 10 is a perspective view of the fourth and seventh embodiments in a partially open configuration;

FIG. 11 is a perspective view of the first, second, third, fourth, fifth, sixth, and seventh embodiments in a partially open configuration showing the undersides of the first, second, and third portions of the cover;

(Continued)





FIG. 12 is a perspective view of the second, fourth, fifth, and seventh embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 13 is a perspective view of the second and fifth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 14 is a perspective view of the first and sixth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 15 is a perspective view of the fourth and seventh embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 16 is a perspective view of the second and fourth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 17 is a perspective view of the third and sixth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 18 is a perspective view of the fifth and seventh embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 19 is a perspective view of the first and fourth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 20 is a perspective view of the third and fifth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 21 is a perspective view of the sixth and seventh embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 22 is a perspective view of the fourth and seventh embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device;

FIG. 23 is a perspective view of the first and sixth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device; and,

FIG. 24 is a perspective view of the second and fifth embodiments in an open configuration with the top cover element folded into a stand for the personal electronic device.

All portions shown in dash-dash broken lines are for the purpose of illustrating environmental structure and form no part of the claimed design. All portions shown in dash-dot-dot broken lines define the bounds of the claimed design and form no part thereof.

1 Claim, 24 Drawing Sheets

(58) **Field of Classification Search**

USPC D14/203.3–203.5, 203.8, 341, 318;
D3/247; 206/320, 45.23–45.24; 283/56;
281/31, 39
CPC G06F 2200/1633
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,197,884	A *	3/1993	Roemer, Jr.	A63F 9/18 283/56
D415,481	S *	10/1999	Cooper	D14/440
D461,797	S *	8/2002	Sumer	D14/240
D521,000	S *	5/2006	Sanefuji	D14/356
D541,297	S *	4/2007	Andre	D14/496
D548,782	S *	8/2007	Nash	D19/26
D593,553	S *	6/2009	Okamoto	D14/341
D647,079	S *	10/2011	Woods	D14/217
D650,394	S *	12/2011	Seoc	D14/496
8,173,893	B2 *	5/2012	Huang	A45C 11/00 206/45.24
D661,696	S *	6/2012	Takada	D14/240
D671,114	S *	11/2012	Akana	D14/250
D685,803	S *	7/2013	Akana	D14/440
D688,251	S *	8/2013	Akana	D14/440
D696,253	S *	12/2013	Akana	D14/345
D701,205	S *	3/2014	Akana	D14/341
D716,783	S *	11/2014	Loncar	D14/250
D754,627	S *	4/2016	Fustino	
D763,849	S *	8/2016	Choo	D14/341
D783,589	S	4/2017	Tattari	
D784,995	S	4/2017	Akana et al.	
2001/0035644	A1 *	11/2001	Amadeo	B42D 1/007 281/31
2011/0227463	A1 *	9/2011	Hou	A45C 9/00 312/223.1
2013/0233762	A1 *	9/2013	Balaji	G06F 1/1628 206/736
2014/0326638	A1 *	11/2014	Webber	B65D 63/1018 206/45.24
2015/0122850	A1 *	5/2015	Quehl	A45C 11/00 206/45.23

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

REPLACEMENT SHEET

13 / 24




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24