



US00D844574S

(12) **United States Design Patent**
Kandler

(10) **Patent No.:** **US D844,574 S**

(45) **Date of Patent:** **** Apr. 2, 2019**

(54) **REMOTE CONTROL**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Maximilian Kandler**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/604,408**

(22) Filed: **May 17, 2017**

(30) **Foreign Application Priority Data**

Nov. 22, 2016 (EM) 003 477 520-0003
Nov. 22, 2016 (EM) 003 477 520-0004

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**
USPC D13/168; D10/104.1, 106.1; D3/207,
D3/208; D8/347
CPC ... B60R 2225/00; B60R 25/00; B60R 25/104;
H01H 9/02; H01H 9/0214; H01H 9/0235;
G07C 9/00944; G05B 1/01; E05B 19/00;
E05B 19/0023; E05B 19/0082; E05B
19/04; E05B 19/043; A44B 15/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,462,291 B1 * 10/2002 Sachs G07C 9/00944
200/302.2
D557,111 S * 12/2007 Ydremark D13/168
7,634,932 B2 * 12/2009 Cadiz A45C 13/023
70/408
8,479,546 B2 * 7/2013 Delande E05B 19/043
70/408
8,541,705 B2 * 9/2013 Dimig E05B 19/0082
200/302.2

D710,184 S * 8/2014 Kirzinger D8/346
8,866,639 B2 * 10/2014 Kleindienst E05B 19/043
340/5.7
D720,603 S * 1/2015 Kirzinger D8/346
D725,607 S * 3/2015 Kandler D13/168
D730,150 S * 5/2015 Kirzinger D8/347
D730,152 S * 5/2015 Kirzinger D8/347
D733,074 S * 6/2015 Kandler D13/168
D734,607 S * 7/2015 Leetz D3/207
D743,240 S * 11/2015 Bachorski D8/347
D744,811 S * 12/2015 Bischoff D8/347
D749,398 S * 2/2016 Bachorski D8/347
D772,038 S * 11/2016 Bischoff D8/347

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;
Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a remote control, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the remote control of the present invention;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a perspective view of a second embodiment thereof;
FIG. 9 is a top view thereof;
FIG. 10 is a bottom view thereof;
FIG. 11 is a left view thereof;
FIG. 12 is a right side view thereof;
FIG. 13 is a front view thereof; and,
FIG. 14 is a rear view thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D803,792 S * 11/2017 Houdek D13/168
2004/0201451 A1 * 10/2004 Sugimoto B60R 25/406
340/5.62
2010/0102927 A1 * 4/2010 Monig B60R 25/2009
340/5.64
2012/0140391 A1 * 6/2012 Nickel E05B 19/043
361/679.01
2013/0219978 A1 * 8/2013 Konchan E05B 19/043
70/447
2014/0360236 A1 * 12/2014 Delande E05B 19/043
70/393
2016/0278229 A1 * 9/2016 Saito H01H 9/0235

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13



Fig. 14