



US00D845098S

(12) **United States Design Patent**
Moyer et al.

(10) **Patent No.:** **US D845,098 S**

(45) **Date of Patent:** **** Apr. 9, 2019**

- (54) **PLIERS WITH TEETH IN SLOT**
- (71) Applicant: **Snap-on Incorporated**, Kenosha, WI (US)
- (72) Inventors: **Douglas A. Moyer**, Racine, WI (US);
Arendt M. Jeffrey, Union Grove, WI (US)
- (73) Assignee: **Snap-on Incorporated**, Kenosha, WI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/637,695**
- (22) Filed: **Feb. 21, 2018**
- (51) **LOC (11) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/52**
- (58) **Field of Classification Search**
USPC D8/4, 5, 14, 51-60, 105
CPC B25B 7/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,894,451	A *	7/1975	Putsch	B25B 7/02
					81/424.5
4,438,669	A *	3/1984	Hastings	B25B 7/10
					81/409.5
4,893,530	A	1/1990	Warheit		
4,922,770	A	5/1990	Dlugolecki		
5,060,543	A *	10/1991	Warheit	B25B 7/10
					81/321
D398,497	S *	9/1998	Gomas	D8/52
D405,333	S *	2/1999	Wrigley	D8/52
D490,288	S *	5/2004	Griffin	D8/52
D526,174	S *	8/2006	Hermann	D8/52
7,174,816	B1 *	2/2007	Di Bitonto	B25B 7/10
					81/407

7,182,004	B1 *	2/2007	Wang	B25B 7/10
					81/409.5
7,191,688	B1 *	3/2007	Hall, Jr.	B25B 7/10
					81/358
D543,812	S	6/2007	Burry et al.		
7,406,898	B1 *	8/2008	Hall, Jr.	B25B 7/10
					81/358
D588,890	S *	3/2009	Picaza Ibarondo	D8/52
D589,315	S *	3/2009	Herrmann	D8/52
7,503,243	B2 *	3/2009	Putsch	B25B 7/10
					81/409.5
D610,417	S *	2/2010	Robinson	D8/52
7,676,873	B1 *	3/2010	Simms	B25B 7/02
					7/129
7,748,300	B2	7/2010	Picaza Ibarondo		
D679,158	S *	4/2013	Schleiminger	D8/52
8,661,948	B2 *	3/2014	DeBaker	B21K 5/00
					81/405
8,695,464	B2	4/2014	Herrmann		
2010/0018364	A1 *	1/2010	Chervenak	B25B 7/10
					81/413
2015/0336243	A1	11/2015	Wang		
2015/0375371	A1 *	12/2015	Reckhart	B25B 7/02
					81/411

* cited by examiner

Primary Examiner — Deanna L Pratt
(74) *Attorney, Agent, or Firm* — Seyfarth Shaw LLP



(57) **CLAIM**

The ornamental design for the pliers with teeth in slot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the pliers;
FIG. 2 is a first end view of the pliers;
FIG. 3 is a second end view of the pliers;
FIG. 4 is a first side view of the pliers;
FIG. 5 is a second side view of the pliers;
FIG. 6 is a top side view of the pliers; and,
FIG. 7 is a bottom side view of the pliers.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7