



US00D845244S

(12) **United States Design Patent** (10) **Patent No.:** **US D845,244 S**
Andersson et al. (45) **Date of Patent:** **** Apr. 9, 2019**

(54) **TRACK FOR A POWER SUPPLY SYSTEM**

(71) Applicants: **Henrik B. Andersson**, Naples, FL
(US); **Magnus C. Petermann**, Lidingö
(SE)

(72) Inventors: **Henrik B. Andersson**, Naples, FL
(US); **Magnus C. Petermann**, Lidingö
(SE)

(73) Assignee: **INSTORESCREEN, LLC**, Naples, FL
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/592,479**

(22) Filed: **Jan. 31, 2017**

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.2**

(58) **Field of Classification Search**
USPC D8/354, 349, 16, 373, 499, 396;
D25/119, 164, 199, 139, 141, 60, 69, 121,
D25/122, 124, 125, 136; D13/139.2, 155;
D10/121; D15/136; D26/72, 76, 79,
D26/121, 138, 140, 141, 144, 145, 152,
D26/155

CPC H02G 3/24; F16L 33/04; E04D 13/15;
H02B 1/052; H02B 1/205; G06K
7/10732; G06K 9/26; H05K 1/0262;
H05K 1/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D131,027 S * 1/1942 O'Brien D13/139.2
3,832,503 A 8/1974 Crane
4,139,252 A 2/1979 Gorny
4,790,766 A 12/1988 Booty, Sr. et al.
4,919,625 A * 4/1990 Coutre H01R 25/14
439/118

5,599,086 A 2/1997 Dutta
5,672,000 A * 9/1997 Lin F21V 21/002
362/241
5,759,051 A 6/1998 Cancellieri et al.
D399,594 S 10/1998 Patik
6,089,884 A 7/2000 Klaus
D467,451 S * 12/2002 High D8/349
7,364,346 B2 * 4/2008 Uhler F21V 19/008
362/247
7,520,763 B1 * 4/2009 Buse H01R 25/142
439/121
D649,683 S 11/2011 Trzesniowski
D649,684 S 11/2011 Trzesniowski
D649,692 S 11/2011 Trzesniowski
D652,986 S 1/2012 Trzesniowski
D653,783 S * 2/2012 Biro D26/31

(Continued)

Primary Examiner — Jennifer Rivard

Assistant Examiner — Alison M Ofstun

(74) *Attorney, Agent, or Firm* — Edward M. Livingston,
Esq.; Bryan L. Loeffler, Esq.; Livingston Loeffler, P.A.


(57) **CLAIM**

The ornamental design for a track for a power supply system, as shown and described.

DESCRIPTION

FIG. 1 is a perspective top view of a track for a power supply system, showing our new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a cross sectional view along lines 4-4 of FIG. 2;
FIG. 5 is a cross sectional view along lines 5-5 of FIG. 2;
FIG. 6 is a right side view thereof;
FIG. 7 is a left side view thereof;
FIG. 8 is an end view thereof; and,
FIG. 9 is an end view thereof, opposite FIG. 8.
The broken lines in the figures represent portions of the article which form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,246,219 B2 * 8/2012 Teng F21K 9/00
362/217.02
D801,275 S * 10/2017 Lee D13/139.2
D805,417 S * 12/2017 Thompson D10/121
9,923,341 B1 * 3/2018 Andersson H02B 1/052
2015/0184841 A1 * 7/2015 Liu F21V 21/34
362/270
2017/0089529 A1 * 3/2017 Xu F21S 4/20

* cited by examiner





FIG. 6



FIG. 7



FIG. 8




FIG. 9

