



US00D845347S

(12) **United States Design Patent** (10) **Patent No.:** **US D845,347 S**
Pelini et al. (45) **Date of Patent:** **** Apr. 9, 2019**

- (54) **TROLLING MOTOR LIFTING HANDLE** 7,285,029 B1 * 10/2007 Janitz B63H 20/007
440/6
- (71) Applicants: **Steven Pelini**, Riverview, FL (US); D592,920 S * 5/2009 Boies D8/10
Mark F. Pelini, Valrico, FL (US) D618,973 S * 7/2010 Gosselin D8/10
D676,724 S * 2/2013 Kessler D8/10
D697,403 S * 1/2014 Rendo D9/434
- (72) Inventors: **Steven Pelini**, Riverview, FL (US); 9,127,702 B2 9/2015 Pressler
Mark F. Pelini, Valrico, FL (US) 9,127,707 B1 * 9/2015 Huntley B63H 20/10
D764,889 S * 8/2016 Merten D8/107
D782,894 S * 4/2017 DePietro D8/107
9,682,759 B1 * 6/2017 Huntley B63H 20/10
- (**) Term: **15 Years** 2002/0142680 A1 * 10/2002 Anderson B63H 20/007
440/53
- (21) Appl. No.: **29/581,134** 2004/0180588 A1 * 9/2004 Provost B63H 20/10
440/76
- (22) Filed: **Oct. 17, 2016**
- (51) **LOC (11) Cl.** **15-01** * cited by examiner
- (52) **U.S. Cl.**
- USPC **D15/4**
- (58) **Field of Classification Search**
- USPC D15/5, 4; D8/1, 7, 10, 107, 9, 11, 14
- CPC B63H 20/10; B63H 2020/103;
B63H 20/106; B25G 1/10; B25G 1/102
- See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,262,648 A * 11/1941 Peterson B25G 1/10
294/57
- 3,549,189 A * 12/1970 Alosi A01B 1/227
294/57
- D269,490 S * 6/1983 Germain D8/1
- D291,863 S * 9/1987 Kolonia D8/10
- D331,652 S * 12/1992 Wu D12/178
- 5,582,526 A * 12/1996 Cook, III B63H 20/007
440/2
- D384,559 S * 10/1997 Tisbo D8/10
- D384,866 S * 10/1997 Tisbo D8/10
- D384,873 S * 10/1997 Aquilina D8/107
- D385,160 S * 10/1997 Tisbo D8/10
- D393,990 S * 5/1998 Whitehead D8/10
- D401,833 S * 12/1998 Whitehead D8/107

Primary Examiner — T Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Edward P. Dutkiewicz

(57) **CLAIM**

The ornamental design for a trolling motor lifting handle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the trolling motor lifting handle showing our new design.

FIG. 2 is a rear elevation view.

FIG. 3 is the right side elevation view.

FIG. 4 is left side elevation view.

FIG. 5 is a top plan view;

FIG. 6 is a bottom plan view; and,

FIG. 7 is a right side perspective view.

The broken line breakaway symbols in the drawings indicate that any portion of the length of cable between the handle and motor attachment point, beyond what is shown, forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1





FIG. 2




FIG. 3




FIG. 4

FIG. 5




FIG. 6




FIG. 7