



US00D845629S

(12) **United States Design Patent**
Milne

(10) **Patent No.:** **US D845,629 S**

(45) **Date of Patent:** **** Apr. 16, 2019**

- (54) **SHAPER INSERT**
- (71) Applicant: **TADANYC, LLC**, New York, NY (US)
- (72) Inventor: **Tara Milne**, New York, NY (US)
- (73) Assignee: **TADANYC, LLC**, New York, NY (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/640,224**
- (22) Filed: **Mar. 13, 2018**
- (51) **LOC (11) Cl.** **03-01**
- (52) **U.S. Cl.**
USPC **D3/319; D9/456**
- (58) **Field of Classification Search**
USPC D9/414, 416, 425, 434, 435, 436, 438,
D9/439, 440, 442, 443, 446-450,
D9/452-457, 499, 503-505, 682, 685,
D9/686, 654; D7/387, 391, 392, 392.1,
D7/393, 394, 396.1-396.4, 401.1,
D7/503-505, 509-511, 538, 900;
D3/201, 202, 203.2, 318, 238, 319;
D28/91, 91.1; D20/99
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
2585/56; B65D 2585/545; B65D 41/00;
B65D 41/38; B65D 41/56; B65D 41/62;
B65D 47/00; B65D 47/06; B65D 47/08;
B65D 2543/00046; B65D 2543/00092;
B65D 2543/00296; B65D 5/46; B65D
2251/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

- D158,356 S * 5/1950 Cooney D7/598
- 4,142,564 A * 3/1979 Zoland A45C 13/004
190/106

- D265,149 S * 6/1982 Romano D3/303
- 5,009,319 A * 4/1991 Jantzen A45C 3/00
150/104
- D316,633 S * 5/1991 Markowitz D3/318
- D334,661 S * 4/1993 Kohn D3/319
- 5,458,164 A * 10/1995 Tawil A45C 13/004
141/10
- 5,480,029 A * 1/1996 Batsford B65D 81/052
206/522
- D367,008 S * 2/1996 Sillince D9/456
- 5,507,578 A * 4/1996 Ozeri A45C 13/004
206/522
- D389,649 S * 1/1998 Miller D3/318
- D408,146 S * 4/1999 Briganti D3/319
- D413,258 S * 8/1999 Voller D9/456
- 5,934,808 A * 8/1999 Ozeri A45C 13/004
206/522

(Continued)

Primary Examiner — Michael A. Pratt
Assistant Examiner — Wendy L Arminio
(74) *Attorney, Agent, or Firm* — Dennemeyer &
Associates, LLC.


(57) **CLAIM**

The ornamental design for a shaper insert, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the shaper insert;
FIG. 2 is a front side elevational view of the shaper insert;
FIG. 3 is a rear side elevational view of the shaper insert;
FIG. 4 is a right side elevational view of the shaper insert;
FIG. 5 is a left side elevational view of the shaper insert;
FIG. 6 is a top plan view of the shaper insert; and,
FIG. 7 is a bottom plan view of the shaper insert.
The broken lines in the drawings depict environment and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D432,310	S *	10/2000	Salz	D3/319
6,179,025	B1 *	1/2001	Sutton	A45C 3/08
					150/105
D443,139	S *	6/2001	Salz	D3/319
6,769,807	B2 *	8/2004	Bayard	A45C 13/004
					150/106
7,108,425	B2 *	9/2006	Temkin	A45C 13/002
					150/106
D609,473	S *	2/2010	Boonma	D3/318
8,251,113	B2 *	8/2012	Baxter	A45C 1/024
					150/103
D676,651	S *	2/2013	Ross	D3/232
9,226,557	B2 *	1/2016	Sullivan	A45C 3/001
9,265,315	B1 *	2/2016	Frid	A45C 1/02
2004/0074788	A1 *	4/2004	Blinkhorn	B65D 77/0406
					206/223

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7