



US00D845782S

(12) **United States Design Patent** (10) **Patent No.:** **US D845,782 S**  
**Faillant-Dumas** (45) **Date of Patent:** **\*\* Apr. 16, 2019**

(54) **PERFUME BOTTLE** D783,410 S \* 4/2017 Beriaux ..... D9/690  
D795,699 S \* 8/2017 Vivas ..... D9/545

(71) Applicant: **LVMH FRAGRANCE BRANDS,**  
Levallois-Perret (FR) D821,215 S \* 6/2018 Sawicki ..... D9/558  
D837,658 S \* 1/2019 Cabaleiro ..... D9/552

(72) Inventor: **Jérôme Faillant-Dumas**, Paris (FR) \* cited by examiner

(73) Assignee: **LVMH FRAGRANCE BRANDS,**  
Levallois Perret (FR) Primary Examiner — Michael A. Pratt

(\*\*) Term: **15 Years** (57) **CLAIM**

(21) Appl. No.: **35/504,564** The ornamental design for a perfume bottle, as shown and described.

(22) Filed: **Feb. 9, 2018**

(80) **Hague Agreement Data**

|                      |                     |                    |
|----------------------|---------------------|--------------------|
| Int. Filing Date:    | <b>Feb. 9, 2018</b> | <b>DESCRIPTION</b> |
| Int. Reg. No.:       | <b>DM/099922</b>    | 1. Perfume bottle  |
| Int. Reg. Date:      | <b>Feb. 9, 2018</b> | 1.1 : Perspective  |
| Int. Reg. Pub. Date: | <b>Mar. 9, 2018</b> | 1.2 : Front        |

(30) **Foreign Application Priority Data**


|   |                                       |   |
|---|---------------------------------------|---|
| Aug. 17, 2017 (EM) .....                          | 004151835-0001                        | 1.3 : Back  |
| (51) <b>LOC (11) Cl.</b> .....                    | <b>09-01</b>                          | 1.4 : Right   |
| (52) <b>U.S. Cl.</b>                              |                                       | 1.5 : Left  |
| USPC .....  | <b>D9/552; D9/454; D9/545; D9/558</b> | 1.6 : Top   |
| (58) <b>Field of Classification Search</b>        |                                       | 1.7 : Bottom  |
| USPC .....  | D9/552, 454, 545, 558                 | Bottle comprising a body and a cap; the body is cylindrical with a circular base; it has a bottom bulging inwards; it is surmounted by a central neck in the shape of a domed ring, with a narrowing between it and an upper shoulder of the body; the cap is cylindrical with a circular base, with a diameter approximately equal to that of the narrowing of the body. |
| CPC .....   | B65D 1/02; B65D 1/023; B65D 1/0276    |   |
| See application file for complete search history. |                                       |   |

(56) **References Cited**


U.S. PATENT DOCUMENTS

D357,632 S \* 4/1995 Dinand ..... D9/452  
D541,158 S \* 4/2007 Herrmann ..... D9/505  
D753,501 S \* 4/2016 Komai ..... D9/454  
D773,311 S \* 12/2016 Park ..... D9/453


**1 Claim, 7 Drawing Sheets**




**1.1**




**1.2**




1.3




1.4



1.5



**1.6**



**1.7**

