



US00D845903S

(12) **United States Design Patent** (10) **Patent No.:** **US D845,903 S**
Byrne et al. (45) **Date of Patent:** **** Apr. 16, 2019**

(54) **POWER AND DATA RECEPTACLE MOUNT**

(71) Applicants: **Norman R. Byrne**, Ada, MI (US);
Joseph D. Ward, Grand Rapids, MI
(US); **Brandon B. Danks**, Rockford,
MI (US)

(72) Inventors: **Norman R. Byrne**, Ada, MI (US);
Joseph D. Ward, Grand Rapids, MI
(US); **Brandon B. Danks**, Rockford,
MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/607,292**

(22) Filed: **Jun. 12, 2017**

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.4**

(58) **Field of Classification Search**
USPC D13/139.2, 139.4, 152, 154, 199
CPC A47B 21/0314; A47B 21/06; A47B
2021/0335; H02G 3/123; H02G 3/18;
H02G 3/185; H05K 5/0247; H01R
13/6395; H01R 13/73; H01R 13/74
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,654,756 A * 3/1987 Wilson A47B 21/06
312/223.3
4,734,826 A * 3/1988 Wilson A47B 21/06
361/729
4,827,850 A * 5/1989 Diffrient A47B 1/04
108/50.02
5,057,039 A 10/1991 Persing et al.
5,259,787 A * 11/1993 Byrne H01R 9/2608
439/532
5,886,295 A * 3/1999 Carino H02G 3/288
174/481

5,971,509 A * 10/1999 Deimen A47B 21/06
108/26

6,004,157 A 12/1999 Glass
6,028,267 A 2/2000 Byrne
6,290,518 B1 9/2001 Byrne
6,435,461 B1 8/2002 Saylor et al.
6,923,684 B2 8/2005 Strayer
6,971,911 B2 12/2005 Ramsey et al.
D579,873 S * 11/2008 Gershfeld D13/139.4
7,614,889 B1 * 11/2009 Black H01R 13/5213
174/67

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhardt
& Ondersma LLP

(57) **CLAIM**

The ornamental design for a power and data receptacle
mount, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a power and data
receptacle mount showing our new design, viewed from
above and to the right;

FIG. 2 is another front perspective view thereof, viewed
from below and to the right;

FIG. 3 is a rear perspective view thereof, viewed from below
and to the right;

FIG. 4 is another front perspective view thereof, viewed
from below and to the left;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevation thereof;

FIG. 8 is a rear elevation thereof;



FIG. 9 is a right side elevation thereof;

FIG. 10 is a left side elevation thereof; and,

FIG. 11 is another rear perspective view thereof, in a use
condition.

In the drawings, the broken lines depict unclaimed subject
matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets





(56)

References Cited

U.S. PATENT DOCUMENTS

7,736,178	B2	6/2010	Byrne	
7,901,224	B1 *	3/2011	Black	H02G 3/123
				439/142
D639,244	S *	6/2011	Byrne	D13/139.4
7,966,951	B1 *	6/2011	Black	H02G 3/128
				108/50.01
8,690,590	B2 *	4/2014	Byrne	H05K 5/03
				439/131
9,148,006	B2	9/2015	Byrne et al.	
9,614,338	B2 *	4/2017	Alexander	H01R 35/04
9,681,747	B1 *	6/2017	Pectol	A47B 3/08
9,800,037	B2 *	10/2017	Nichols	A47B 21/06
D811,337	S *	2/2018	Byrne	D13/137.2
D827,579	S *	9/2018	Byrne	D13/139.4
2005/0167138	A1 *	8/2005	McCarthy	A47B 21/06
				174/53
2016/0255951	A1 *	9/2016	Nichols	A47B 21/06
2017/0317458	A1 *	11/2017	Byrne	H02J 50/90
2017/0324230	A1 *	11/2017	Warrilow	A47B 21/06
2018/0159283	A1 *	6/2018	Garcia	H02G 3/18

* cited by examiner






Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11