



US00D846137S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D846,137 S**
(45) **Date of Patent:** **** Apr. 16, 2019**

(54) **MUSCLE-TENDON RELAXATION DEVICE**

(71) Applicant: **Lien-Tsung Li**, Taichung (TW)

(72) Inventor: **Lien-Tsung Li**, Taichung (TW)

(73) Assignee: **Lien-Tsung Li**, Taichung (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/587,338**

(22) Filed: **Dec. 13, 2016**

(51) **LOC (11) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/215**

(58) **Field of Classification Search**
USPC D24/200, 211, 212, 213, 214, 215;
601/19, 22, 40, 46, 52, 63, 99, 110, 111,
601/112, 113, 118, 119, 120, 125,
601/DIG. 12–DIG. 17; D4/100, 117;
D28/21–33
CPC A61H 1/00; A61H 2015/0007; A61H
2015/0014; A61H 2015/0042; A61H
15/00; A61H 11/00; A61H 21/00; A61H
37/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D19,704 S * 3/1890 Berry D28/22
974,367 A * 11/1910 Dunder A61H 15/0092
132/150
D165,684 S * 1/1952 Hall 132/122
D280,349 S * 8/1985 Creamer D28/29
D386,372 S * 11/1997 Weiss D28/25
5,863,251 A * 1/1999 Fusco F41B 15/02
463/47.2

6,077,239 A * 6/2000 Lin A61H 7/003
601/134
D435,154 S * 12/2000 Garon D32/42
D495,803 S * 9/2004 Gough D24/200
D502,290 S * 2/2005 Eddinger D28/29
D508,757 S * 8/2005 Eddinger D28/29
D524,445 S * 7/2006 Liang D24/211
D616,107 S * 5/2010 Cochard D24/214
D503,451 S * 6/2010 Nuenke D22/117
D617,908 S * 6/2010 Nuenke D24/214
D634,022 S * 3/2011 Scappaticci D24/215
D638,549 S * 5/2011 Scappaticci D24/214
D645,568 S * 9/2011 Walker D24/214
D678,539 S * 3/2013 Narson D24/200
D681,841 S * 5/2013 Scappaticci D24/215
D686,333 S * 7/2013 Innes D24/215
D752,238 S * 3/2016 Stock D24/214
D752,239 S * 3/2016 Stock D24/214
D754,869 S * 4/2016 Stock D24/214
D767,780 S * 9/2016 Pursel D24/214
9,925,110 B1 * 3/2018 Lang A61H 7/003

* cited by examiner

Primary Examiner — Sandra S Snapp


(57) **CLAIM**

The ornamental design for a muscle-tendon relax device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a muscle-tendon relax device, showing my new design;
FIG. 2 is a front view of the muscle-tendon relax device;
FIG. 3 is a rear view of the muscle-tendon relax device;
FIG. 4 is a left side view of the muscle-tendon relax device;
FIG. 5 is a right side view of the muscle-tendon relax device;
FIG. 6 is a top view of the muscle-tendon relax device; and,
FIG. 7 is a bottom view of the muscle-tendon relax device.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7