



US00D846158S

(12) **United States Design Patent**
Hassan

(10) **Patent No.:** **US D846,158 S**
(45) **Date of Patent:** **** Apr. 16, 2019**

(54) **CROSS-RIBBED UNITARY SAFETY SURFACE TILE**

(71) Applicant: **PLAYSAFER SURFACING, LLC, a division of RUBBERECYCLE,**
Lakewood, NJ (US)

(72) Inventor: **Morris Hassan,** Lakewood, NJ (US)

(73) Assignee: **Playsafer Surfacing LLC a division of Rubberecycle,** Lakewood, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/592,145**

(22) Filed: **Jan. 27, 2017**

(51) **LOC (11) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/138**

(58) **Field of Classification Search**

USPC D25/138, 139, 140, 141, 142, 143, 144,
D25/157, 158, 159, 160, 161, 162, 163;
428/119, 120, 147, 158, 159, 163, 166,
428/167, 174, 178, 179, 183, 118, 180,
428/181, 182, 184, 185; D7/587;
D9/424, 430, 456, 502, 750, 751, 757,
D9/758; 52/386, 387, 389


CPC ... E04C 2/20; E04C 2/205; E04C 2/30; E04C
2002/3411-2002/3466; Y10T 428/24174;
Y10T 428/24165; Y10T 428/24264; Y10T
428/24702; Y10T 428/24711; B32B 3/28;
B32B 29/08; B65D 65/403; E01C 13/00;
E01C 13/045; E01C 2013/006; E04F
15/185; E04F 15/22; E04F 15/225

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,813,652 A * 11/1957 Parsons B65D 85/322
217/26.5
2,950,726 A * 8/1960 Kuhl A01K 43/005
134/194



3,011,602 A * 12/1961 Ensrud E04C 2/32
244/123.12
3,217,845 A * 11/1965 Koeller B21D 13/10
428/118
3,884,646 A * 5/1975 Kenney B21D 22/02
156/196
4,169,339 A * 10/1979 See E01C 9/004
428/131
D264,002 S * 4/1982 Hardigg D25/142
4,757,665 A * 7/1988 Hardigg B29C 45/26
52/782.1
5,162,143 A * 11/1992 Porter B29D 24/004
359/883
5,609,942 A * 3/1997 Ray B29D 24/00
428/182
5,628,160 A * 5/1997 Kung E01C 5/20
403/11

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Weiss & Arons LLP


(57) **CLAIM**

The ornamental design for a cross-ribbed unitary safety surface tile, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a cross-ribbed unitary safety surface tile showing my new design; FIG. 2 is a side elevation view thereof (views of all four sides being identical); FIG. 3 is a bottom plan view thereof; and, FIG. 4 is a top plan view thereof. The broken lines in the drawings depict portions of the cross-ribbed unitary safety surface tile that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,643,656 A * 7/1997 Lin B65D 81/127
 108/51.3
 D419,697 S * 1/2000 Kroesbergen D25/119
 D587,116 S * 2/2009 Landry D9/456
 7,571,573 B2 * 8/2009 Moller, Jr. E01C 5/20
 472/92
 7,955,025 B2 * 6/2011 Murphy E01C 5/20
 404/35
 8,426,010 B2 * 4/2013 Stadthagen-Gonzalez
 E04C 2/326
 428/116
 8,726,602 B2 * 5/2014 DeLong E04F 15/02038
 52/403.1
 9,038,342 B2 * 5/2015 Hassan E01C 13/00
 52/403.1
 D754,884 S * 4/2016 Hassan D25/138
 D756,539 S * 5/2016 Hassan D25/138
 D799,070 S * 10/2017 Hassan D25/138
 9,962,878 B2 * 5/2018 Hassan E04F 15/02038
 D823,486 S * 7/2018 Hassan D25/138
 2005/0016097 A1 * 1/2005 Janesky A01K 1/0151
 52/384
 2018/0080235 A1 * 3/2018 Downey B32B 3/30

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4