



US00D846201S

(12) **United States Design Patent** (10) **Patent No.:** **US D846,201 S**
Seymour et al. (45) **Date of Patent:** **** Apr. 16, 2019**

(54) **RELOAD KIT FOR FIRE EXTINGUISHER**

(71) Applicant: **Rusoh, Inc.**, Eau Claire, WI (US)

(72) Inventors: **Justun Seymour**, Eau Claire, WI (US);
Ryan Barrows, Eau Claire, WI (US);
Seth Rooney, Chippewa Falls, WI (US);
Randy Frank Rousseau,
Riverside, CA (US)

(73) Assignee: **Rusoh, Inc.**, Eau Claire, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/615,505**

(22) Filed: **Aug. 29, 2017**

(51) **LOC (11) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/126**

(58) **Field of Classification Search**
USPC D23/355-369, 213, 214, 223, 224, 225,
D23/231; D28/5, 6; 261/DIG. 17,
261/DIG. 42, DIG. 65, DIG. 88, DIG. 89,
261/DIG. 47, DIG. 55, DIG. 70; 392/356,
392/390, 392, 394, 395; 239/34, 44, 53,
239/55, 56, 326, 60, 308, 589; D9/687,
D9/600, 695; D7/591; D29/125, 126,
D29/129, 130; 169/7, 89; 222/210, 324
CPC .. A62C 2/00; A62C 8/00; A62C 13/76; A62C
13/64

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D171,066 S 12/1953 Sciver
D682,034 S 5/2013 El-Saden et al.

D693,170 S 11/2013 Rosbach
8,757,582 B2 6/2014 Robinson
D732,647 S 6/2015 Mcphilliamy et al.
D738,741 S 9/2015 Shafer
9,144,699 B1 * 9/2015 Wang A62C 13/70
D751,670 S 3/2016 Loiti
D777,991 S * 1/2017 Rousseau D29/125

OTHER PUBLICATIONS

“U.S. Appl. No. 29/566,668, Notice of Allowance dated May 23, 2017”, 8 pgs.

“U.S. Appl. No. 29/566,668, Preliminary Amendment filed Jul. 13, 2016”, 4 pgs.

“U.S. Appl. No. 29/566,668, Response filed Apr. 21, 2017 to Restriction Requirement dated Feb. 21, 2017”, 4 pgs.

“U.S. Appl. No. 29/566,668, Restriction Requirement dated Feb. 21, 2017”, 5 pgs.

* cited by examiner

Primary Examiner — Randall H Gholson

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for a reload kit for fire extinguisher, as shown and described.

DESCRIPTION

FIG. 1 is a side plan view.


FIG. 2 is a rear plan view.

FIG. 3 a bottom plan view; and,

FIG. 4 is a top perspective view.

Broken lines in the drawings are included for the purpose of illustrating an environment and form no part of the claimed design. The claimed invention can be used in other environments.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D846,201 S
APPLICATION NO. : 29/615505
DATED : April 16, 2019
INVENTOR(S) : Seymour et al.

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

In item (22), in “Filed”, in Column 1, Line 1, after “2017”, insert --¶(62) Division of application No. 29/566,668, filed on Jun. 01, 2016.--

In Column 2, under “Description”, Line 3, FIG. 3, before “a”, insert --is--

Signed and Sealed this
Second Day of June, 2020



Andrei Iancu
Director of the United States Patent and Trademark Office