

US00D846353S

(12) **United States Design Patent**
Altman

(10) **Patent No.:** **US D846,353 S**

(45) **Date of Patent:** **** Apr. 23, 2019**

- (54) **COMBINED PLATE AND CUP**
- (71) Applicant: **Michael A. Altman**, Marietta, GA (US)
- (72) Inventor: **Michael A. Altman**, Marietta, GA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/634,188**
- (22) Filed: **Jan. 18, 2018**
- (51) **LOC (11) Cl.** **07-01**
- (52) **U.S. Cl.**
USPC **D7/505; D7/514; D7/520; D7/571;**
D7/507
- (58) **Field of Classification Search**
USPC **D7/505, 507, 509, 510, 511, 514, 515,**
D7/523, 533, 534, 535, 536, 392.1, 396.3,
D7/400, 564, 577, 571, 569, 556, 656,
D7/654, 642, 607, 603, 602, 624.1, 624.2,
D7/680, 397, 398, 213, 403, 396.6, 633,
D7/631, 632, 901; 220/200, 592.16,
220/592.17, 495.03; D9/434, 435;
D24/197; D19/194; D28/4, 39, 10, 38,
D28/76, 82, 85, 88; D11/143, 144, 391
CPC **A47G 19/2205; A47G 19/22;**
A47G 19/2211; A47G 19/2216; B65D
1/265; B65D 3/06; A45F 3/20
See application file for complete search history.

- D372,836 S * 8/1996 Hurst D7/514
- D375,226 S * 11/1996 Blankenburg D7/515
- D390,778 S * 2/1998 Lee D3/271.9
- D410,820 S * 6/1999 Lofrano D7/507
- D427,514 S * 7/2000 Roth D7/901
- 6,149,027 A * 11/2000 Rathjen A47G 19/06
220/23.83
- D483,227 S 12/2003 Oas
- D492,233 S * 6/2004 Burden D12/204
- D499,306 S 12/2004 Laib
- D594,701 S * 6/2009 Sax D7/515
- D605,468 S * 12/2009 Borrello D7/507
- D610,877 S 3/2010 Cooper
- D614,449 S * 4/2010 Cooper D7/544
- D623,018 S * 9/2010 Reyhan D7/550.1
- D623,019 S * 9/2010 Wildman D7/554.2
- D662,276 S 6/2012 Villota et al.
- 8,348,091 B1 * 1/2013 Zox A47G 19/06
206/564
- D687,269 S 8/2013 Guy et al.
- 9,439,525 B1 9/2016 Altman

(Continued)

Primary Examiner — Marianne N Pandozzi
Assistant Examiner — Jae Liang
(74) *Attorney, Agent, or Firm* — Louis Ventre, Jr.

(57) **CLAIM**

The ornamental design for a combined plate and cup, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a combined plate and cup showing my new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view of thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a left-side elevational view thereof;
FIG. 6 is a front elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.

1 Claim, 7 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,744,597 A * 5/1988 Bauman A47G 19/06
206/217
- D298,296 S 11/1988 Washburn et al.
- D303,194 S * 9/1989 Darby D7/507
- D339,239 S * 9/1993 Perkins D6/303
- D340,075 S * 10/1993 Turner D19/82
- D351,085 S * 10/1994 Schmidt D7/505
- 5,419,455 A * 5/1995 Rousseau A47G 19/06
206/562



(56)

References Cited

U.S. PATENT DOCUMENTS

D781,659 S * 3/2017 Kellow, Jr. D7/553.8
D785,526 S 5/2017 Nathan et al.

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG. 6




FIG. 7