



US00D846391S

(12) **United States Design Patent**
Duquet et al.

(10) **Patent No.:** **US D846,391 S**
(45) **Date of Patent:** **** Apr. 23, 2019**

(54) **DISPENSER**

(71) Applicant: **APTAR FRANCE SAS**, Le Neubourg (FR)

(72) Inventors: **Frederic Duquet**, Crespieres (FR);
Francis Moreau, Sotteville (FR)

(73) Assignee: **APTAR FRANCE SAS**, Le Neubourg (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/582,984**

(22) Filed: **Nov. 1, 2016**

(30) **Foreign Application Priority Data**

May 2, 2016 (EM) 003105840-0002

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D9/447**; D9/723; D28/7

(58) **Field of Classification Search**

USPC D9/434-436, 443-445, 447-450, 454,
D9/499, 682, 685, 686, 548, 723-727;
D7/387, 391, 392, 392.1, 396.1, 396.2,
D7/397, 398, 401.1, 510, 511; D3/202;
D28/91.1, 7; D6/542

CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
2585/56; B65D 2585/545; B65D 41/00;
B65D 41/38; B65D 41/56; B65D 41/62;
B65D 47/00; B65D 47/06; B65D 47/08;
B65D 2543/00046; B65D 2543/00092;
B65D 2543/00296; B65D 5/46; B65D
2251/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,919,859 A * 7/1933 Phillips B43M 11/06
401/264
D283,981 S * 5/1986 Culbreath D9/435

D508,209 S * 8/2005 Lamb D9/504
D543,469 S * 5/2007 Py D9/447
D567,669 S * 4/2008 Py D9/551
D579,786 S * 11/2008 Py D9/724
D630,951 S * 1/2011 Lim D9/723
D649,048 S * 11/2011 Baker D9/435
D658,076 S * 4/2012 McCoy D9/723
D678,783 S * 3/2013 Wilcox D24/119
D685,948 S * 7/2013 Pires D28/7
D695,907 S * 12/2013 Duquet D24/222
D696,417 S * 12/2013 Duquet D24/222
D696,788 S * 12/2013 Duquet D24/222
D696,789 S * 12/2013 Duquet D24/222
D708,961 S * 7/2014 Jung D9/723
D753,341 S * 4/2016 Moreaux D28/7
D774,922 S * 12/2016 Moreaux D9/724
D790,342 S * 6/2017 Farrell D9/448

(Continued)

Primary Examiner — Michael A. Pratt

Assistant Examiner — Wendy L Arminio

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57)

CLAIM


The ornamental design for a dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and side perspective view of a dispenser showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view.

The broken lines show portions of the dispenser that do not form part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0050515	A1 *	2/2014	Bruder	A45D 34/04 401/186
2014/0161504	A1 *	6/2014	Duquet	A45D 34/04 401/147
2014/0234004	A1 *	8/2014	Thorpe	A45D 34/04 401/1
2014/0376985	A1 *	12/2014	Villarreal	A45D 34/041 401/2
2015/0086259	A1 *	3/2015	Moreau	A45D 34/04 401/266
2016/0184861	A1 *	6/2016	Daviot	A45D 34/04 401/143
2017/0055672	A1 *	3/2017	Duquet	A45D 34/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7