



US00D846507S

(12) **United States Design Patent** (10) **Patent No.:** **US D846,507 S**
Altonen et al. (45) **Date of Patent:** **** Apr. 23, 2019**

(54) **CONTROL DEVICE**

(71) Applicant: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(72) Inventors: **Gregory S. Altonen**, Easton, PA (US);
Jason C. Killo, Emmaus, PA (US);
Brad M. Kreschollek, Bethlehem, PA
(US); **Madia L. Rivera**, Bethlehem, PA
(US)

(73) Assignee: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/633,659**

(22) Filed: **Jan. 15, 2018**

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**
USPC D13/162, 164, 168; D14/218, 495
CPC . H03J 1/0025; H01H 2009/187; G08C 17/00;
G08C 17/02; G08C 19/28; G08C 23/02;
G08C 23/04; H05B 39/088; H05K 5/0017
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|---------------|-------|---------|
| D512,726 S | * | 12/2005 | Hernandez | | D14/489 |
| D539,758 S | * | 4/2007 | Blair | | D13/162 |
| D631,854 S | * | 2/2011 | Blair | | D13/168 |
| D649,123 S | * | 11/2011 | Jacoby | | D13/164 |
| D649,124 S | * | 11/2011 | Jacoby | | D13/168 |
| D690,668 S | | 10/2013 | Jacoby et al. | | |

| | | | | |
|------------|---|---------|--------------------|---------------|
| D694,197 S | | 11/2013 | Felegy, Jr. et al. | |
| D694,716 S | * | 12/2013 | Felegy, Jr. | D13/162 |
| D774,470 S | * | 12/2016 | Altonen | D13/168 |
| D795,202 S | * | 8/2017 | Dimberg | D13/168 |
| D818,445 S | * | 5/2018 | Altonen | D13/168 |

OTHER PUBLICATIONS

Designer see Touch Engraving Schedule, Rev 5, Lutron Electronics Co., Inc., Dec. 2009.
U.S. Appl. No. 29/633,663, filed Jan. 15, 2018 (unpublished).

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Amy Yanek; Glen Farbanish; Philip Smith

(57) **CLAIM**

We claim the ornamental design for a control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a control device according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.


FIG. 7 is a perspective view of a control device according to a second embodiment of our new design; and,

FIG. 8 is a front view thereof.

The left side, right side, top and bottom views of the second embodiment are identical to the left side, right side, top, and bottom views of the first embodiment.

The rear views form no part of the claimed design and are omitted.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8