



US00D846513S

(12) **United States Design Patent** (10) **Patent No.:** **US D846,513 S**
Takebayashi et al. (45) **Date of Patent:** **** Apr. 23, 2019**

(54) **SHEET HEATER FOR ELECTROSTATIC CHUCK**

(71) Applicant: **NGK Insulators, Ltd.**, Nagoya-Shi (JP)

(72) Inventors: **Hiroshi Takebayashi**, Nagoya (JP);
Rishun Kin, Nagoya (JP)

(73) Assignee: **NGK Insulators, Ltd.**, Nagoya (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/581,749**

(22) Filed: **Oct. 21, 2016**

(30) **Foreign Application Priority Data**

Apr. 27, 2016 (JP) 2016-009254
Apr. 27, 2016 (JP) 2016-009255
Apr. 27, 2016 (JP) 2016-009258

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182; 219/443.1, 444.1; 118/724,
118/725

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D266,070 S * 9/1982 Asanuma D13/179
D266,074 S * 9/1982 Asanuma D13/179

(Continued)

OTHER PUBLICATIONS

Rectangle, Webster's Dictionary, 1913, <http://www.webster-dictionary.org/definition/Rectangle>.*

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Burr & Brown, PLLC

(57) **CLAIM**

The ornamental design for a sheet heater for electrostatic chuck, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a sheet heater for electrostatic chuck illustrating our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top view thereof, the bottom view thereof being a mirror image;

FIG. 4 is a right view thereof, the left view thereof being a mirror image;

FIG. 5 is an enlarged view taken along line 5-5 in FIG. 1;

FIG. 6 is an enlarged view taken along line 6-6 in FIG. 5;

FIG. 7 is an enlarged view taken along line 7-7 in FIG. 6;

FIG. 8 is an enlarged view taken along line 8-8 in FIG. 7;

FIG. 9 is a front view of a second embodiment of a sheet heater for electrostatic chuck illustrating our new design;

FIG. 10 is a rear view thereof;

FIG. 11 is a top view thereof, the bottom view thereof being a mirror image;

FIG. 12 is a right view thereof, the left view thereof being a mirror image;

FIG. 13 is an enlarged view taken along line 13-13 in FIG. 9;

FIG. 14 is an enlarged view taken along line 14-14 in FIG. 13;

FIG. 15 is an enlarged view taken along line 15-15 in FIG. 14;

FIG. 16 is an enlarged view taken along line 16-16 in FIG. 15;

FIG. 17 is a front view of a third embodiment of a sheet heater for electrostatic chuck illustrating our new design;

FIG. 18 is a rear view thereof;

FIG. 19 is a top view thereof, the bottom view thereof being a mirror image;

FIG. 20 is a right view thereof, the left view thereof being a mirror image;

FIG. 21 is an enlarged view taken along line 21-21 in FIG. 17;

(Continued)





FIG. 22 is an enlarged view taken along line 22-22 in FIG. 21;
 FIG. 23 is an enlarged view taken along line 23-23 in FIG. 22; and,
 FIG. 24 is an enlarged view taken along line 24-24 in FIG. 23.

The broken lines in the drawings depict unclaimed subject matter only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets

(58) **Field of Classification Search**

CPC H01J 2237/332; H01J 2237/338; H01J 37/32642; H01L 21/67069; H01L 21/67103; H01L 21/67109; H01L 21/67248; H01L 21/683; H01L 21/6831; H01L 21/68714; H01L 21/68792

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D266,077 S * 9/1982 Asanuma D13/179
 D273,582 S * 4/1984 Bolt D13/182

D273,860 S * 5/1984 Bolt D13/182
 D327,883 S * 7/1992 Gloton D13/182
 D328,599 S * 8/1992 Gloton D13/182
 D370,464 S * 6/1996 Tepper D13/147
 D405,427 S * 2/1999 Ishii D13/182
 6,133,557 A * 10/2000 Kawanabe H01L 21/67103
 219/544
 D466,093 S * 11/2002 Ebihara D13/182
 D471,167 S * 3/2003 Ebihara D13/182
 D529,031 S * 9/2006 Huang D13/182
 D540,272 S * 4/2007 Higashibata D13/182
 D589,471 S * 3/2009 Komatsu D13/182
 D598,380 S * 8/2009 Kuriki D13/133
 D601,521 S * 10/2009 Komatsu D13/182
 D613,690 S * 4/2010 Kuriki D13/133
 D615,927 S * 5/2010 Kuriki D13/133
 D651,991 S * 1/2012 Nishiguchi D13/182
 D651,992 S * 1/2012 Nishiguchi D13/182
 D655,256 S * 3/2012 Nishiguchi D13/182
 D690,672 S * 10/2013 Yoshida D13/182
 D699,201 S * 2/2014 Petsch D13/182
 8,981,263 B2 * 3/2015 Sasaki H01L 21/6831
 118/725
 D775,092 S * 12/2016 Vinciarelli D13/182
 D797,690 S * 9/2017 Furutani D13/182
 D798,250 S * 9/2017 Furutani D13/182

* cited by examiner

Fig. 1




Fig.2




Fig. 3



Fig. 4




Fig. 5




Fig.6




Fig.7




Fig. 8




Fig.9




Fig. 10




Fig. 11




Fig. 12



Fig.13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig.21




Fig.22




Fig.23




Fig.24

