

US00D846609S

(12) **United States Design Patent** (10) **Patent No.:** **US D846,609 S**
Abe (45) **Date of Patent:** **** Apr. 23, 2019**

(54) **SEALING BLADE FOR WORKING MACHINE**

(71) Applicant: **Bando Chemical Industries, Ltd.,**
Kobe-shi (JP)

(72) Inventor: **Yuki Abe, Kobe (JP)**

(73) Assignee: **Bando Chemical Industries, Ltd.,**
Kobe-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/570,959**

(22) Filed: **Jul. 13, 2016**

(30) **Foreign Application Priority Data**

Jan. 18, 2016 (JP) 2016-000811

(51) **LOC (11) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/139**

(58) **Field of Classification Search**

USPC D15/124-144; D8/70, 90, 98, 120
CPC B23C 2200/0411; B23C 2200/0416; B23C
2200/0433; B23C 2200/164; B23C
2200/361; B23C 2210/0457; B23C 5/006;
B23C 2200/1068; B23C 2210/163; B23C
2226/125; B23C 5/10; B23C 2200/081;
B23C 2200/087; B23C 2200/161; B23C
2200/206; B23C 2210/02; B23C 2210/03;
B23C 2210/166; B23C 2210/50; B23C
2226/315; B23C 5/2208; B23C 5/2472;
B23C 2200/0477; B23C 2200/0483;
B23C 2200/083; B23C 2200/121; B23C
2200/362; B23C 2210/0428; B23C
2210/0435; B23C 2210/16; B23C
2220/36; B23C 2220/44; B23C 2240/08;
B23C 2250/12; B23C 2270/06; B23C
5/2204; B23C 5/2213; B23C 5/2247;
B23C 5/2427;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,314,038 A * 3/1943 Elting H01R 33/0863
174/562
3,076,953 A * 2/1963 Sloop H01R 13/113
439/839

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1548669 S 5/2016

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for a sealing blade for working machine, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a sealing blade for working machine, showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is an enlarged front view thereof taken along lines 7-7 shown in FIG. 1;
FIG. 8 is an enlarged top view thereof taken along lines 8-8 shown in FIG. 3;
FIG. 9 is an enlarged bottom view thereof taken along lines 9-9 shown in FIG. 4; and,
FIG. 10 is an enlarged left side view thereof.
The portions of the sealing blade for working machine shown in broken lines form no part of the claimed design. The dashed-dotted line showings of FIGS. 1, 3, 4, and 6-10 illustrate boundaries between the claimed design and environmental features.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC B23C 2200/0422; B23C 2200/08; B23C
2200/086; B23C 2200/123

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,293,589 A * 12/1966 Oakes H01R 31/06
439/268
6,195,053 B1 * 2/2001 Kodukula G06K 7/0004
235/462.47
D449,029 S * 10/2001 Hanson D12/162
D513,535 S * 1/2006 Fischer D25/119
D706,405 S * 6/2014 Storch D23/372
D717,102 S * 11/2014 Taketani D7/392.1
D731,010 S * 6/2015 Levitt D21/681
D741,139 S * 10/2015 Sheppard D8/319
D802,411 S * 11/2017 Teng D8/403

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10