



US00D846776S

(12) **United States Design Patent** (10) **Patent No.:** **US D846,776 S**
Alexander MacAndrew et al. (45) **Date of Patent:** **** Apr. 23, 2019**

(54) **LIGHT EQUIPMENT FOR VEHICLE**

8/033; F21S 8/035–8/037; F21S 8/04;
F21S 8/043; F21S 8/063

(71) Applicant: **AEROMOBIL R&D, S. R. O.**,
Biskupice (SK)

See application file for complete search history.

(72) Inventors: **Kenneth Douglas Alexander MacAndrew**, Bratislava-Zahorska Bystrica (SK); **William Simon Rooms**, Bratislava (SK); **Tomas Urík**, Sastin-Straze (SK); **Adam Danko**, Stupava (SK); **Alan Roach**, Oslo (NO)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D607,589 S *	1/2010	Mattin	D26/28
D632,812 S *	2/2011	Matsumoto	D26/28
D656,642 S *	3/2012	Shimada	D26/28

(Continued)

(73) Assignee: **AEROMOBIL R&D, S. R. O.**,
Mestská cast Podunajské Biskupice (SK)

Primary Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Finnegan, Henderson, Farabow, Garrett & Dunner LLP

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **35/503,786**

The ornamental design for a light equipment for vehicle, as shown and described.

(22) Filed: **Apr. 25, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 25, 2017**
 Int. Reg. No.: **DM/097725**
 Int. Reg. Date: **Apr. 25, 2017**
 Int. Reg. Pub. Date: **Oct. 6, 2017**

DESCRIPTION

(30) **Foreign Application Priority Data**

Oct. 25, 2016 (EM) 003434190

(51) **LOC (11) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**

USPC ... D26/3, 28, 76, 78, 79, 80, 81, 82, 83, 85,
D26/86, 88, 90, 93, 111, 113, 118, 119,
D26/120, 121, 122, 138, 139, 140, 141,
D26/142, 152

CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S
4/005; F21S 4/006; F21S 4/007; F21S
4/008; F21S 6/00; F21S 8/00; F21S
8/024; F21S 8/026; F21S 8/031; F21S

FIG. 1.1 is a front, top, right perspective view of a light equipment for vehicle in an open position, showing the new design, shown as part of the surrounding vehicle wherein the vehicle is not claimed;

FIG. 1.2 is a front elevation view thereof;

FIG. 1.3 is a right side view thereof;

FIG. 1.4 is a front, top, right perspective view of the light equipment for vehicle in a closed position;

FIG. 1.5 is a front elevation view thereof;

FIG. 1.6 is a right side view thereof;


FIG. 2.1 is an enlarged front, top, right perspective view of the light equipment for vehicle shown in FIG. 1.1 showing the new design, without the surrounding unclaimed vehicle;

FIG. 2.2 is an enlarged front elevation view thereof;

FIG. 2.3 is a left side view thereof.

The broken lines of uneven length illustrate the boundary of the claimed design and form no part thereof. The broken lines of even length shown in the drawings illustrate portions of the vehicle that form no part of the claimed design.

1 Claim, 9 Drawing Sheets




(56)

References Cited


U.S. PATENT DOCUMENTS

D662,634	S	*	6/2012	Koizumi	D26/28
D686,358	S	*	7/2013	Morgenstern	D26/28
D736,439	S	*	8/2015	Kamiura	D26/28
D746,493	S	*	12/2015	Watanuki	D26/28
D755,422	S	*	5/2016	Kong	D26/28
D756,004	S	*	5/2016	Kong	D26/28
D770,646	S	*	11/2016	Stopka	D26/28
D798,480	S	*	9/2017	Ryu	D26/28
D806,284	S	*	12/2017	Yamaguchi	D26/28
D818,162	S	*	5/2018	Ha	D26/28

* cited by examiner





1.1



1.2


1.3






1.4


1.5




1.6



2.1



2.2



2.3

