



US00D847013S

(12) **United States Design Patent** (10) **Patent No.:** **US D847,013 S**
Morin (45) **Date of Patent:** **** Apr. 30, 2019**

(54) **NECKLACE**
(71) Applicant: **CARTIER INTERNATIONAL AG**,
Steinhausen (CH)
(72) Inventor: **Flora Morin**, Conflans Sainte Honorine
(FR)
(73) Assignee: **CARTIER INTERNATIONAL AG**,
Steinhausen (CH)
(**) Term: **15 Years**
(21) Appl. No.: **29/633,269**
(22) Filed: **Jan. 12, 2018**
(51) **LOC (11) Cl.** **11-01**
(52) **U.S. Cl.**
USPC **D11/16**
(58) **Field of Classification Search**
USPC D11/1-29, 34, 36-43, 47, 76-79, 86;
D14/344; D28/41
CPC A44C 1/00; A44C 5/00; A44C 5/0007;
A44C 5/0023; A44C 5/003; A44C
5/0038; A44C 5/0046; A44C 5/0053;
A44C 5/0061; A44C 5/0069; A44C
5/0076; A44C 5/0084; A44C 5/0092;
A44C 5/02; A44C 5/022; A44C 5/025;
A44C 5/027; A44C 5/04; A44C 5/08;
A44C 5/12; A44C 13/00; A44C 15/001;
A44C 15/003; A44C 15/0035; A44C
15/0045; A44C 15/005; A44C 15/0055;
A44C 15/006; A44C 23/00; A44C
25/001; A44C 25/007; A44C 9/00; A44C
9/0038; A44C 9/0046; A44C 9/0053;
A44C 9/0061; A44C 9/0069; A44C 9/02
See application file for complete search history.

D452,456 S * 12/2001 Cabarbaye D11/3
D791,635 S * 7/2017 Hardy D11/3
D792,266 S * 7/2017 Hardy D11/43
D798,184 S * 9/2017 Hardy D11/4
D803,087 S * 11/2017 Hardy D11/4
D807,774 S * 1/2018 Hardy D11/42
D809,416 S * 2/2018 Hardy D11/34
D809,418 S * 2/2018 Hardy D11/35
D809,419 S * 2/2018 Hardy D11/42
D809,959 S * 2/2018 Hardy D11/34
D820,715 S * 6/2018 Le Bail D11/34
D826,764 S * 8/2018 Hardy D11/34

* cited by examiner

Primary Examiner — Cynthia Ramirez
Assistant Examiner — L. Martinez
(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for a necklace, as shown and described.

DESCRIPTION

FIG. 1 is a front, right-side, top perspective view of the necklace;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear portion of a top plan view thereof, with the dot-dash chain line bisecting between the rear portion of a top plan view (FIG. 3) and the front portion of the top plan view (FIG. 4);
FIG. 4 is a front portion of a top plan view thereof, with the dot-dash chain line being bisecting between the rear portion of a top plan view (FIG. 3) and the front portion of the top plan view (FIG. 4);
FIG. 5 is a right-side elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a rear, right-side, bottom perspective view thereof.

1 Claim, 8 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
D323,633 S * 2/1992 Mastoloni D11/16
D445,353 S * 7/2001 Cabarbaye D11/3






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8