



US00D847089S

(12) **United States Design Patent**
Harguth et al.

(10) **Patent No.:** **US D847,089 S**

(45) **Date of Patent:** **** Apr. 30, 2019**

(54) **BASE STATION FOR CHARGING WRISTBAND DEVICES**

(71) Applicant: **The Prophet Corporation**, Owatonna, MN (US)

(72) Inventors: **Alison Marie Harguth**, Owatonna, MN (US); **Amber Lee Orenstein**, Prior Lake, MN (US); **Jason Butler Koberstine**, Apple Valley, MN (US)

(73) Assignee: **The Prophet Corporation**, Owatonna, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/584,513**

(22) Filed: **Nov. 15, 2016**

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/107–110, 118–119, 184; D14/251, D14/253, 432, 434
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D425,866 S * 5/2000 Nagasawa D13/147
D597,939 S * 8/2009 Tkachuk D13/108
D705,189 S * 5/2014 Chovin D14/159

D731,420 S * 6/2015 Croft D13/108
9,276,366 B1 * 3/2016 Flores H01R 24/66
D784,835 S * 4/2017 Kim D10/106.1
D789,883 S * 6/2017 Luke D13/107
D790,458 S * 6/2017 He D13/108
D799,423 S * 10/2017 Eliyahu D13/108
2009/0212738 A1 8/2009 Coonan et al.
2011/0234154 A1 9/2011 Navid
2013/0132307 A1 * 5/2013 Phelps H02J 7/0027
705/412

2016/0181851 A1 6/2016 Porat et al.
2016/0233701 A1 8/2016 Gliatis
2016/0276852 A1 9/2016 Roberts

(Continued)

Primary Examiner — Rosemary K Tarca

Assistant Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a base station for charging wristband devices, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a base station for charging wristband devices;

FIG. 2 is a front elevational view of the base station of FIG. 1;

FIG. 3 is a rear elevational view of the base station of FIG. 1;

FIG. 4 is a first side elevational view of the base station of FIG. 1;


FIG. 5 is a second side elevational view of the base station of FIG. 1;

FIG. 6 is a top plan view of the base station of FIG. 1; and

FIG. 7 is a bottom view of the base station of FIG. 1; and, FIG. 8 is a bottom perspective view of the base station of FIG. 1.

The broken lines in the figures depict portions of the base station which form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0365190 A1 12/2016 Jeong et al.
2017/0047751 A1 2/2017 Fernandes
2017/0093200 A1 3/2017 Green
2017/0264112 A1 9/2017 Tandai et al.
2018/0138726 A1 5/2018 Harguth et al.
2018/0219392 A1 8/2018 Dittrich

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG.8