

US00D847089S

(12) **United States Design Patent** (10) **Patent No.:** **US D847,089 S**  
**Harguth et al.** (45) **Date of Patent:** **\*\* Apr. 30, 2019**

(54) **BASE STATION FOR CHARGING WRISTBAND DEVICES**(71) Applicant: **The Prophet Corporation**, Owatonna, MN (US)(72) Inventors: **Alison Marie Harguth**, Owatonna, MN (US); **Amber Lee Orenstein**, Prior Lake, MN (US); **Jason Butler Koberstine**, Apple Valley, MN (US)(73) Assignee: **The Prophet Corporation**, Owatonna, MN (US)(\*\*) Term: **15 Years**(21) Appl. No.: **29/584,513**(22) Filed: **Nov. 15, 2016**(51) LOC (11) Cl. .... **13-02**

(52) U.S. Cl.

USPC ..... **D13/108**(58) **Field of Classification Search**USPC ..... D13/107-110, 118-119, 184; D14/251, D14/253, 432, 434  
CPC ..... Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

D425,866 S \* 5/2000 Nagasawa ..... D13/147  
D597,939 S \* 8/2009 Tkachuk ..... D13/108  
D705,189 S \* 5/2014 Chovin ..... D14/159

D731,420 S *	6/2015	Croft .....	D13/108
9,276,366 B1 *	3/2016	Flores .....	H01R 24/66
D784,835 S *	4/2017	Kim .....	D10/106.1
D789,883 S *	6/2017	Luke .....	D13/107
D790,458 S *	6/2017	He .....	D13/108
D799,423 S *	10/2017	Eliyahu .....	D13/108
2009/0212738 A1	8/2009	Coonan et al.	
2011/0234154 A1	9/2011	Navid	
2013/0132307 A1*	5/2013	Phelps .....	H02J 7/0027
			705/412
2016/0181851 A1	6/2016	Porat et al.	
2016/0233701 A1	8/2016	Gliatis	
2016/0276852 A1	9/2016	Roberts	

(Continued)

*Primary Examiner* — Rosemary K Tarcza*Assistant Examiner* — Nathaniel D. Buckner(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.(57) **CLAIM**

The ornamental design for a base station for charging wristband devices, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a base station for charging wristband devices;

FIG. 2 is a front elevational view of the base station of FIG. 1;


FIG. 3 is a rear elevational view of the base station of FIG. 1;

FIG. 4 is a first side elevational view of the base station of FIG. 1;

FIG. 5 is a second side elevational view of the base station of FIG. 1;

FIG. 6 is a top plan view of the base station of FIG. 1; and FIG. 7 is a bottom view of the base station of FIG. 1; and, FIG. 8 is a bottom perspective view of the base station of FIG. 1.

The broken lines in the figures depict portions of the base station which form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**


(56)

**References Cited**


**U.S. PATENT DOCUMENTS**

2016/0365190 A1	12/2016	Jeong et al.
2017/0047751 A1	2/2017	Fernandes
2017/0093200 A1	3/2017	Green
2017/0264112 A1	9/2017	Tandai et al.
2018/0138726 A1	5/2018	Harguth et al.
2018/0219392 A1	8/2018	Dittrich


\* cited by examiner




**FIG.1**




**FIG.2**


**FIG.3**




**FIG.4**




**FIG.5**



**FIG.6**



**FIG.7**



**FIG.8**