



US00D847129S

(12) **United States Design Patent**
To et al.

(10) **Patent No.:** **US D847,129 S**
(45) **Date of Patent:** **** Apr. 30, 2019**

(54) **BATTERY CASE FOR ELECTRONIC COMMUNICATIONS DEVICE**

(71) Applicant: **Mophie, Inc.**, Tustin, CA (US)

(72) Inventors: **Nguyen To**, Corona, CA (US); **Ming Chiao Chiang**, Alhambra, CA (US); **Denny Tsai**, Temple City, CA (US); **Hongguo Zhou**, Shenzhen (CN)

(73) Assignee: **mophie inc.**, Irvine, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/523,209**

(22) Filed: **Apr. 7, 2015**

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/250**

(58) **Field of Classification Search**
USPC D14/248, 439, 203.3–203.7, 217, 240, D14/447, 250, 251–253, 238.1, 440; D3/201, 218, 247, 269, 273, 301, 303; D13/103, 107–108, 119
CPC H04B 1/3888; H04M 1/0283; H04M 1/0202; A45C 1/06; A45C 2011/002; A45C 11/00; A45C 13/02; A45F 2005/026; A45F 2200/0525; A45F 2200/0516

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D556,681 S * 12/2007 Kim D13/103
D575,056 S * 8/2008 Tan D3/201
D603,603 S * 11/2009 Laine D3/218
7,782,610 B2 * 8/2010 Diebel G06F 1/1628
361/679.41
D653,202 S * 1/2012 Hasbrook D13/103
D664,091 S * 7/2012 Pliner D13/108

D711,312 S * 8/2014 Tien D13/103
D718,230 S * 11/2014 To D13/103
D718,293 S * 11/2014 Namminga D14/250
D718,754 S * 12/2014 To D14/250
D718,755 S * 12/2014 To D14/250
D720,740 S * 1/2015 Wicks D14/250
D721,687 S * 1/2015 To D14/250
D723,530 S * 3/2015 Namminga D14/250
D732,012 S * 6/2015 Tsai D14/250
D756,910 S * 5/2016 Gupta D13/103
9,356,267 B1 * 5/2016 To H01M 2/1094
D767,485 S * 9/2016 To D13/103
D797,092 S * 9/2017 To D14/250
D797,093 S * 9/2017 To D14/250
2009/0186264 A1 * 7/2009 Huang H01M 2/1022
429/96

(Continued)

Primary Examiner — Carla J Wright

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear, LLP

(57) **CLAIM**



The ornamental design for a battery case for electronic communications device, as shown and described.

DESCRIPTION

FIG. 1 is a top-front-right perspective view of a design for a battery case for electronic communications device; FIG. 2 is a bottom-rear-left perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a left-side view thereof; FIG. 6 is a right-side view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

The broken lines depict portions of the battery case for electronic communications device that form no part of the claimed design. The broken lines and regions bounded by broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0088558 A1* 4/2012 Song H04M 1/18
455/575.1
2013/0273983 A1* 10/2013 Hsu H05K 5/0086
455/575.1
2014/0239916 A1* 8/2014 To H02J 7/0042
320/137
2016/0181580 A1* 6/2016 To H01M 2/1066
429/100

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8