



US00D847273S

(12) **United States Design Patent** (10) **Patent No.:** **US D847,273 S**
Charbonneau (45) **Date of Patent:** **** Apr. 30, 2019**

(54) **TOY CHARACTER**
(71) Applicant: **SPIN MASTER LTD.**, Toronto (CA)
(72) Inventor: **Anne N. Charbonneau**, North York (CA)
(**) Term: **15 Years**
(21) Appl. No.: **29/631,912**
(22) Filed: **Jan. 3, 2018**

3,091,053 A 5/1963 Growald
D202,565 S 10/1965 Snowball
D203,201 S 12/1965 Garzella
4,736,943 A 4/1988 Fukuda
D295,774 S 5/1988 Zinter-Chahin
D298,066 S 10/1988 Bussell
4,817,936 A 4/1989 Matsuda
4,836,821 A 6/1989 Raymond
4,881,915 A 11/1989 Liaw
D351,808 S 10/1994 Huang
5,813,895 A 9/1998 Cho

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/591,302, filed on Jan. 18, 2017, now Pat. No. Des. 819,145.

Foreign Application Priority Data

(30) Aug. 29, 2016 (EM) 003356575

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/609**

(58) **Field of Classification Search**
USPC D6/598; D11/158, 162; D21/576-595,
D21/606-609, 615; 446/368-369, 376,
446/428, 487; 180/8.6; D30/160
CPC ... A63H 3/00; A63H 3/02; A63H 3/04; A63H
3/16; A63H 3/28; A63H 33/00; A63H
7/06; A63H 11/00; A63H 11/10; A63H
11/20; A63H 13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

608,794 A 8/1898 Quinn
D66,243 S 12/1924 Negbaur
D148,354 S 7/1946 Herzog
D155,855 S 2/1959 Reed
D184,457 S 2/1959 Reed
3,005,284 A 10/1961 Angelo
D195,009 S 4/1963 Bergaron

FOREIGN PATENT DOCUMENTS

JP 1190896 S 11/2003
JP 1542783 S 2/2016

OTHER PUBLICATIONS

RU 2016503968, Office Action, Russian Federal Service for Intellectual Property, dated Dec. 7, 2017.

(Continued)

Primary Examiner — Sandra L Morris

(74) *Attorney, Agent, or Firm* — Millman IP Inc.

(57) **CLAIM**


The ornamental design for a toy character, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from above, to the front and to one side of a new design form a toy character;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof; and,
FIG. 6 is a top view thereof.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,231,346	B1	5/2001	Sagi-Dolev
6,592,426	B2	7/2003	Mesch
6,702,644	B1	3/2004	Hornsby
D564,400	S	3/2008	Chen
D564,403	S	3/2008	Chen
D570,428	S	6/2008	Kelly
D714,881	S	10/2014	Michalowski
2007/0173170	A1	7/2007	Wu

OTHER PUBLICATIONS

RU 2016503968, Office Action—English translation, Russian Federal Service for Intellectual Property, dated Dec. 7, 2017.

U.S. Appl. No. 29/591,392, Notice of Allowance, US Patent and Trademark Office, dated Feb. 22, 2018.

Mitsuishi, K. et al., “Mechanical properties of polyethylene/ethylene vinyl acetate filled with calcium carbonate”, *Polymer Composites* (Impact Factor: 1.63). Apr. 1988; 9(2). DOI: 10.1002/pc.750090203, abstract accessed Jan. 29, 2016.

U.S. Appl. No. 14/884,191, Non-Final Office Action, dated Oct. 28, 2016, USPTO.




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6