



US00D848238S

(12) **United States Design Patent** (10) **Patent No.:** **US D848,238 S**
Meyer et al. (45) **Date of Patent:** **** May 14, 2019**

(54) **HANDLE**

- (71) Applicant: **Kraft Tool Company**, Shawnee, KS (US)
 (72) Inventors: **Ronald G Meyer**, Leawood, KS (US);
John L Rudder, Leavenworth, KS (US)
 (73) Assignee: **Kraft Tool Company**, Shawnee, KS (US)
 (**) Term: **15 Years**
 (21) Appl. No.: **29/619,950**
 (22) Filed: **Oct. 3, 2017**

Related U.S. Application Data

- (63) Continuation of application No. 29/553,525, filed on Feb. 2, 2016.
 (51) **LOC (11) Cl.** **08-06**
 (52) **U.S. Cl.**
 USPC **D8/303**
 (58) **Field of Classification Search**
 USPC D8/107, 300, 303, 307; D15/142;
 D7/393, 395; 16/110.1, 421, 429, 430,
 16/431; 81/177.1, 177.85, 489;
 74/473.35, 489, 523, 543, 551.9, 553, 557
 CPC Y10T 16/44; Y10T 74/20612; Y10T
 74/20287; Y10T 74/20732; Y10T
 74/20828; Y10T 16/466; Y10T 74/20864;
 Y10T 16/469; Y10T 74/20822; Y10T
 16/4713; Y10T 74/20396; B25B 23/16;
 B25G 1/102; B25G 1/105; B25G 1/10;
 B25G 1/00; B25G 1/063; B25G 1/005;
 B25G 1/01; B25G 1/043; B25G 1/085
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D130,814 S * 12/1941 Comiskey et al. D8/303
 2,276,725 A * 3/1942 Huffman D06F 75/34
 16/431
 D375,036 S * 10/1996 David D8/300
 D390,085 S * 2/1998 Franks D8/303
 5,823,069 A * 10/1998 Roark B62K 21/26
 74/551.9
 6,170,362 B1 * 1/2001 Chen B25G 1/01
 81/22
 D439,129 S * 3/2001 Chen D8/107
 6,220,128 B1 * 4/2001 Hu B25G 1/01
 81/22
 6,226,836 B1 * 5/2001 Yasui A01K 87/08
 16/110.1
 6,247,204 B1 * 6/2001 Hamby B25G 1/10
 16/431
 6,336,255 B1 * 1/2002 Gallup A45F 5/102
 16/110.1

(Continued)

Primary Examiner — Lauren R Calve
 (74) *Attorney, Agent, or Firm* — Erickson Kernell IP,
 LLC; John C. McMahon


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handle in accordance with the present invention;
 FIG. 2 is a side elevational view of the handle, the opposite side elevational view being a mirror image thereof;
 FIG. 3 is a rear elevational view of the handle;
 FIG. 4 is a bottom plan view of the handle;
 FIG. 5 is a front elevational view of the handle; and,
 FIG. 6 is a top plan view of the handle.
 The broken lines shown represent subject matter that forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,516,496 B2 * 2/2003 Ekron B25B 9/00
137/317
6,615,692 B2 * 9/2003 Hu B25G 1/01
81/22
D584,126 S * 1/2009 Meyer D8/107
7,770,262 B2 * 8/2010 Schultz B25F 5/006
16/110.1
D623,921 S * 9/2010 Chiu
D625,572 S * 10/2010 Hoertnagl D8/107
D633,363 S * 3/2011 Quinlan D8/303
8,046,876 B2 * 11/2011 Pasquini A47J 45/061
16/430
8,220,360 B2 * 7/2012 Li B62K 21/26
16/421
D691,446 S * 10/2013 Haythornthwaite D8/107
D699,543 S * 2/2014 Haythornthwaite D8/107
D735,550 S * 8/2015 Seeds D8/80
2005/0015934 A1 * 1/2005 Hu B25G 1/00
16/430
2008/0173126 A1 * 7/2008 Madden B62J 33/00
74/551.9

* cited by examiner




Fig. 1.

Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.

