



US00D848522S

(12) **United States Design Patent** (10) **Patent No.:** **US D848,522 S**
Thomas-Hawkins et al. (45) **Date of Patent:** **** May 14, 2019**

(54) **EYEWEAR GRIP**

(71) Applicants: **Nicole Ybona Thomas-Hawkins**,
Waldorf, MD (US); **Courtney L. Phillip**,
Pomfret, MD (US)

(72) Inventors: **Nicole Ybona Thomas-Hawkins**,
Waldorf, MD (US); **Courtney L. Phillip**,
Pomfret, MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/605,779**

(22) Filed: **May 30, 2017**

(51) **LOC (11) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/330**

(58) **Field of Classification Search**
USPC D16/101, 300–342; D14/372;
D29/109–110; 351/41, 42, 44, 45–46,
351/48–49, 59, 61, 63, 66, 67, 69, 71, 72,
351/76, 77, 78, 83, 87, 88, 93, 94,
351/99–104, 110–113, 124–126, 130–132,
351/136–137, 140–153; 2/13, 15,
2/426–432, 447–449, 441, 434–437
CPC . G02C 5/16; G02C 5/14; G02C 5/146; G02C
5/2254; G02C 5/008; G02C 2200/08;
G02C 1/06; G02C 11/02; G02C 11/04;
G02C 2200/22; G02C 7/02; G02C 5/143;
G02C 5/2272; G02C 5/12; G02C 5/02;
G02C 1/02; G02C 5/22; G02C 5/2209;
G02C 9/00; A61M 2021/0044; A63B
33/002; A42B 1/247; A42B 1/248
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,155,982 A * 11/1964 Baratelli A61F 9/027
2/12
D341,609 S * 11/1993 Lloyd D16/335

D371,568 S * 7/1996 Nakabayashi D16/335
D371,569 S * 7/1996 Mikame D16/335
D399,236 S * 10/1998 Khalifa D16/326
D645,074 S * 9/2011 Markovitz D16/326
D676,898 S * 2/2013 Shin D16/335
D709,942 S * 7/2014 Wojtkowski D16/323
D722,335 S * 2/2015 Spampinato D16/335
D726,811 S * 4/2015 Sallard D16/335
D726,812 S * 4/2015 Sallard D16/335
D727,401 S * 4/2015 Markovitz D16/315
D733,212 S * 6/2015 Stables D16/326
D740,348 S * 10/2015 Yoo D16/326
D746,367 S * 12/2015 Shin D16/326
D746,898 S * 1/2016 Markovitz D16/326

(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Dunlap Bennett &
Ludwig PLLC

(57) **CLAIM**


The ornamental design for an eyewear grip, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of an eyewear grip;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left elevation view thereof;
FIG. 5 is a right elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The evenly-sized broken lines showing eyewear and another
eyewear grip in FIG. 1 depicts environmental subject matter
that forms no part of the claimed design, while the remaining
evenly-sized broken lines shown in the drawings depict
portions of the eyewear grips that form no part of the
claimed design, and the unevenly-sized broken lines represent
the bounds of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D749,670	S	*	2/2016	Shin	D16/335
D752,678	S	*	3/2016	Thixton	D16/326
D753,213	S	*	4/2016	Spampinato	D16/330
D754,244	S	*	4/2016	Shin	D16/335
D761,346	S	*	7/2016	Spampinato	D16/330
D769,963	S	*	10/2016	Shin	D16/335
D770,559	S	*	11/2016	Shin	D16/326
D785,079	S	*	4/2017	Uhm	D16/335
D823,373	S	*	7/2018	Hong	D16/309
2015/0131047	A1	*	5/2015	Saylor	G02C 7/12
					351/44

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7