



US00D848660S

(12) **United States Design Patent** (10) **Patent No.:** **US D848,660 S**
Li (45) **Date of Patent:** **** May 14, 2019**

(54) **ELECTRONIC CANDLE**

(71) Applicant: **Xiaofeng Li**, Shenzhen (CN)

(72) Inventor: **Xiaofeng Li**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/621,395**

(22) Filed: **Oct. 6, 2017**

(51) **LOC (11) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/96**

(58) **Field of Classification Search**

USPC D26/4, 5, 6, 7, 9, 94, 96

CPC F21S 6/00; F21S 6/001; F21S 10/04; F21S 10/10; F21S 10/043; F21S 8/08; F21S 48/115; F21V 21/00; F21V 35/00; F21W 2121/00; C11C 5/002; C11C 5/004

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D537,190 S * 2/2007 Lyall, III D26/96
D740,460 S * 10/2015 Thompson D26/96
D757,336 S * 5/2016 Li D26/96

(Continued)

Primary Examiner — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **CLAIM**

The ornamental design for an electronic candle, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of an electronic candle according to a first embodiment;

FIG. 2 is a front view of the electronic candle of FIG. 1; FIG. 3 is a back view of the electronic candle of FIG. 1; FIG. 4 is a left view of the electronic candle of FIG. 1; FIG. 5 is a right view of the electronic candle of FIG. 1; FIG. 6 is a top view of the electronic candle of FIG. 1; FIG. 7 is a bottom view of the electronic candle of FIG. 1. FIG. 8 is an isometric view of an electronic candle according to a second embodiment;


FIG. 9 is a front view of the electronic candle of FIG. 8; FIG. 10 is a back view of the electronic candle of FIG. 8; FIG. 11 is a left view of the electronic candle of FIG. 8; FIG. 12 is a right view of the electronic candle of FIG. 8; FIG. 13 is a top view of the electronic candle of FIG. 8; FIG. 14 is a bottom view of the electronic candle of FIG. 8. FIG. 15 is an isometric view of an electronic candle according to a third embodiment;

FIG. 16 is a front view of the electronic candle of FIG. 15; FIG. 17 is a back view of the electronic candle of FIG. 15; FIG. 18 is a left view of the electronic candle of FIG. 15; FIG. 19 is a right view of the electronic candle of FIG. 15; FIG. 20 is a top view of the electronic candle of FIG. 15; FIG. 21 is a bottom view of the electronic candle of FIG. 15. FIG. 22 is an isometric view of an electronic candle according to a fourth embodiment;

FIG. 23 is a front view of the electronic candle of FIG. 22; FIG. 24 is a back view of the electronic candle of FIG. 22; FIG. 25 is a left view of the electronic candle of FIG. 22; FIG. 26 is a right view of the electronic candle of FIG. 22; FIG. 27 is a top view of the electronic candle of FIG. 22; and,

FIG. 28 is a bottom view of the electronic candle of FIG. 22. The broken-line disclosure represents portions of the electronic candle which form no part of the claimed design.

1 Claim, 28 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D760,424 S *	6/2016	Li	D26/7
D786,484 S *	5/2017	Patton	D26/96
D791,392 S *	7/2017	Li	D26/96
D812,285 S *	3/2018	Patton	D26/96

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19



FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26



FIG. 27




FIG. 28