



US00D848685S

(12) **United States Design Patent**
Song et al.

(10) **Patent No.:** **US D848,685 S**

(45) **Date of Patent:** **** May 14, 2019**

- (54) **TREADMILL FOR PET**
- (71) Applicant: **DONG-A-METAL Co., Ltd.**,
Gyeongsangbuk-do (KR)
- (72) Inventors: **Nam Yong Song**, Daejeon (KR); **Hyun Hun Cho**, Daejeon (KR); **Dong Cheol Kim**, Daejeon (KR)
- (73) Assignee: **DONG-A METAL Co., Ltd.**,
Gyeongsangbuk-do (KR)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/612,775**
- (22) Filed: **Aug. 3, 2017**

- 4,205,628 A * 6/1980 Null A01K 15/027
119/700
- D257,645 S * 12/1980 Ruetenik D25/44
- D259,367 S * 5/1981 Talbot D21/669
- 4,374,587 A * 2/1983 Ogden A63B 22/0023
482/54
- 4,502,679 A * 3/1985 De Lorenzo A63B 22/0257
188/67
- 5,114,390 A * 5/1992 Tribelhorn, Jr. A01K 15/027
119/700
- D333,887 S * 3/1993 Dowler D30/160
- D347,912 S * 6/1994 Golden D21/669
- D350,421 S * 9/1994 Brubaker D30/160
- D370,509 S * 6/1996 Gillott D21/669
- D420,713 S * 2/2000 Afilani D21/669
- 6,837,186 B1 * 1/2005 Terao A01K 15/027
119/700
- 8,794,648 B2 * 8/2014 Woelfel A63B 22/02
119/700

(30) **Foreign Application Priority Data**

May 24, 2017 (KR) 30-2017-0023405

(51) **LOC (11) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/160; D21/669**

(58) **Field of Classification Search**
USPC D30/160; D21/662, 668-671, 673, 679,
D21/686, 694; D3/7; D12/8, 128-133
CPC . A63B 24/0087; A63B 24/0062; A63B 22/02;
A63B 2225/20; A63B 2024/0093; A63B
2024/00; A63B 2220/30; A63B 2220/20;
A63B 2220/17; A63B 71/0619; A63B
21/00178
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,155,684 A * 4/1939 Richards A63B 22/02
119/700
- 4,095,561 A * 6/1978 Ruetenik A01K 15/027
119/700

* cited by examiner

Primary Examiner — Lilyana Bekic

Assistant Examiner — Aula Soroush

(74) *Attorney, Agent, or Firm* — Lombard & Geliebter
LLP; Eric J. Huang, Esq.


(57) **CLAIM**

The ornamental design for a treadmill for pet, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side perspective view of a treadmill for pet showing our new design;
FIG. 2 is a rear, right side perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8