



US00D848757S

(12) **United States Design Patent**
Kelly et al.

(10) **Patent No.:** **US D848,757 S**
(45) **Date of Patent:** **** May 21, 2019**

- (54) **TRAVEL LAP TRAY**
- (71) Applicants: **Chad Kelly**, Sandy, UT (US); **Jamie Kelly**, Sandy, UT (US); **Robert Johnson**, Sandy, UT (US); **Brittney Johnson**, Sandy, UT (US)
- (72) Inventors: **Chad Kelly**, Sandy, UT (US); **Jamie Kelly**, Sandy, UT (US); **Robert Johnson**, Sandy, UT (US); **Brittney Johnson**, Sandy, UT (US)

D638,636 S * 5/2011 Chauss D6/406.3
 D653,873 S * 2/2012 Chauss D6/406.3
 8,667,903 B1 * 3/2014 Goltry A47B 1/05
 108/132
 D723,830 S * 3/2015 Tcholakov D6/406.6
 (Continued)

Primary Examiner — Kelley A Donnelly
 (74) *Attorney, Agent, or Firm* — S. Brandon Owen

(**) **Term:** **15 Years**

(21) **Appl. No.:** **29/616,980**

(22) **Filed:** **Sep. 11, 2017**

(51) **LOC (11) Cl.** **06-06**

(52) **U.S. Cl.**
USPC **D6/406.3**

(58) **Field of Classification Search**
 USPC D6/512, 685–686, 691, 704, 707.19,
 D6/406.1, 406.2, 406.3, 406.4, 406.5,
 D6/406.6; D7/545, 550.1, 552.2, 554.3
 CPC A47G 23/06; A47G 23/08; A47G 23/0608;
 A47B 19/08; A47B 23/00; A47B 23/001
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D349,426 S * 8/1994 Norris D6/406.3
- D385,126 S * 10/1997 Howland D6/406.6
- 6,044,758 A * 4/2000 Drake A47B 23/001
100/43
- 6,305,532 B1 * 10/2001 Overkamp A47B 13/16
206/217
- D526,810 S * 8/2006 Lorr D6/406.5
- D608,150 S * 1/2010 Lilly D7/552.1
- D633,728 S * 3/2011 Fabricatore D6/406.5


(57) **CLAIM**

The ornamental design for a travel lap tray, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the travel lap tray;
 FIG. 2 is a side view of a first side of the travel lap tray in folded position;
 FIG. 3 is a side view of a second side of the travel lap tray in folded position;
 FIG. 4 is a front view of the travel lap tray in folded position;
 FIG. 5 is a back view of the travel lap tray in folded position;
 FIG. 6 is a top view of the travel lap tray in folded position;
 FIG. 7 is a bottom view of the travel lap tray;
 FIG. 8 is a front perspective view of the travel lap tray in open position;
 FIG. 9 is a side view of the first side of the travel lap tray in open position;
 FIG. 10 is a side view of the second side of the travel lap tray in open position;
 FIG. 11 is a front view of the travel lap tray in open position;
 FIG. 12 is a back view of the travel lap tray in open position;
 FIG. 13 is a top view of the travel lap tray in open position;
 FIG. 14 is a bottom view of the travel lap tray in open position; and,
 FIG. 15 is a front perspective view of the travel lap tray in open position.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D754,988 S *	5/2016	Fountain, Jr.	D6/406.3
D785,361 S *	5/2017	Salisbury	D6/406.5
D795,789 S *	8/2017	Ehtesham	D12/425
D798,639 S *	10/2017	Halvorson, Jr.	D6/705.1
D799,851 S *	10/2017	Waxman	D6/406.6
D802,379 S *	11/2017	Raphael	D7/698

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15