



US00D848925S

(12) **United States Design Patent**  
**Myrberg**

(10) **Patent No.:** **US D848,925 S**

(45) **Date of Patent:** **\*\* May 21, 2019**

(54) **VEHICLE RIM**

(71) Applicant: **VOLVO CAR CORPORATION,**  
Göteborg (SE)

(72) Inventor: **Anders Myrberg,** Askim (SE)

(73) Assignee: **Volvo Car Corporation,** Göteborg (SE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/646,941**

(22) Filed: **May 8, 2018**

(30) **Foreign Application Priority Data**

Nov. 30, 2017 (EM) ..... 004528990-0001

(51) **LOC (11) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/209**

(58) **Field of Classification Search**

USPC ..... D12/204–213

CPC .... B60B 7/00; B60B 7/02; B60B 7/04; B60B  
7/01; B60B 7/06; B60B 3/02; B60B 3/04;  
B60B 3/06; B60B 3/10; B60R 1/00;  
B60R 1/08; B60R 1/10; B60R 1/12;  
B60R 13/04

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D669,833 S \* 10/2012 Pollmann ..... D12/209  
D682,761 S \* 5/2013 Pollmann ..... D12/209  
D683,681 S \* 6/2013 Juergens ..... D12/209  
D695,187 S \* 12/2013 Mielke ..... D12/209

D695,669 S \* 12/2013 Pollmann ..... D12/209  
D725,569 S \* 3/2015 Komukai ..... D12/209  
D726,086 S \* 4/2015 Muntada Roura ..... D12/209  
D727,235 S \* 4/2015 Hans ..... D12/211  
D752,496 S \* 3/2016 Smith ..... D12/209  
D753,045 S \* 4/2016 Kawaguchi ..... D12/209  
D762,543 S \* 8/2016 Hara ..... D12/209  
D764,999 S \* 8/2016 Song ..... D12/209  
D775,044 S \* 12/2016 Smith ..... D12/209  
D804,388 S \* 12/2017 Snyder ..... D12/209  
D813,138 S \* 3/2018 Chung ..... D12/211  
D813,139 S \* 3/2018 Chung ..... D12/211  
D825,424 S \* 8/2018 Setter ..... D12/209  
D825,431 S \* 8/2018 Trim ..... D12/211  
D832,177 S \* 10/2018 Grewer ..... D12/209  
D837,709 S \* 1/2019 Chung ..... D12/209

\* cited by examiner

*Primary Examiner* — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Berenato & White, LLC

(57) **CLAIM**

The ornamental design for a vehicle rim, as shown.

**DESCRIPTION**

FIG. 1 is a front view of a vehicle rim showing my new design;

FIG. 2 is another front view thereof;

FIG. 3 is a right perspective view thereof;

FIG. 4 is a left perspective view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a left side view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is a top view thereof; and,

FIG. 9 is a bottom view thereof.

**1 Claim, 9 Drawing Sheets**







**Fig. 1**



**Fig. 2**






**Fig. 3**






**Fig. 4**





**Fig. 5**




**Fig. 6**






**Fig. 7**





**Fig. 8**





**Fig. 9**