

US00D849061S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,061 S**
Underhill et al. (45) **Date of Patent:** **** May 21, 2019**

(54) **WHEELED LOADING SHOVEL VEHICLE**

(56)

References Cited

(71) Applicant: **J.C. BAMFORD EXCAVATORS LIMITED**, Utttoxeter (GB)

U.S. PATENT DOCUMENTS

(72) Inventors: **Thomas Edward Underhill**, Rocester (GB); **Samuel John Jilbert**, Utttoxeter (GB)

D431,575	S	*	10/2000	Park		D15/25
D529,932	S	*	10/2006	Yamashita		D15/25
D531,646	S		11/2006	McCarren, Jr. et al.		
D540,352	S	*	4/2007	Sato		D15/25
D540,828	S	*	4/2007	Johnson		D15/25
D540,829	S	*	4/2007	Johnson		D15/25
D542,308	S		5/2007	Oka et al.		
7,222,884	B2		5/2007	Callan et al.		
D544,888	S		6/2007	Mursch et al.		
D549,738	S	*	8/2007	Hiraoka		D25/25
D590,846	S	*	4/2009	Kinsinger		D15/22
D591,774	S		5/2009	Kokitkar et al.		
D591,775	S		5/2009	Kokitkar et al.		
D604,750	S		11/2009	Smith et al.		
D623,103	S		9/2010	Braga		
D628,599	S	*	12/2010	Major		D15/23

(73) Assignee: **J.C. BAMFORD EXCAVATORS LIMITED**, Utttoxeter (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/611,006**

(22) Filed: **Jul. 18, 2017**

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/539,086, filed on Sep. 10, 2015, now Pat. No. Des. 802,027.

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun LLP

(30) **Foreign Application Priority Data**

Mar. 10, 2015 (EM) 001431910

(51) **LOC (11) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/25**

(58) **Field of Classification Search**
USPC D15/10, 11, 12, 23, 25, 28, 30, 32, 33,
D15/199

CPC E02F 9/2004; E02F 9/207; E02F 9/2091;
E02F 9/2246; E02F 9/2292; E02F 3/32;
E02F 3/325; E02F 3/352; E02F 3/384;
E02F 3/425; E02F 3/437; E02F 3/627;
E02F 3/964; E02F 9/006; E02F 9/0808;
E02F 9/0833; E02F 9/0858; E02F 9/0875;
E02F 9/2045

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a wheeled loading shovel vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front, right-side, and top view of a wheeled loading shovel vehicle showing one embodiment of the new design.

FIG. 2 is a front elevation view of the wheeled loading shovel vehicle.

FIG. 3 is a rear elevation view.

FIG. 4 is a right-side elevation view.


FIG. 5 is a left-side elevation view.

FIG. 6 is a top plan view; and,

FIG. 7 is a front, left-side, and top view.

The broken lines depict portions of the wheeled loading shovel vehicle that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D629,017 S	*	12/2010	Major	D15/23
D682,890 S	*	5/2013	Iwata	D15/25
D693,853 S	*	11/2013	Hiraoka	D15/23
D705,273 S	*	5/2014	Furuki	D15/25
8,882,152 B2		11/2014	Rund et al.	
D721,106 S		1/2015	Okuyama et al.	
8,960,725 B2		2/2015	Rund et al.	
D749,148 S		2/2016	Darekar et al.	
D753,192 S		4/2016	Jackson et al.	
D754,212 S		4/2016	Jackson et al.	
D758,457 S	*	6/2016	Okuyama	D15/23
D774,104 S		12/2016	Underhill et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7