

US00D849078S

(12) **United States Design Patent**
Girotti et al.

(10) **Patent No.:** **US D849,078 S**

(45) **Date of Patent:** **** May 21, 2019**

(54) **COMMUNICATION DEVICE**

(71) Applicant: **MOTOROLA SOLUTIONS, INC.**,
Chicago, IL (US)

(72) Inventors: **Nicola Girotti**, Copenhagen (DK);
Jorge L. Garcia, Plantation, FL (US);
Ryan M. Nilsen, Pompano Beach, FL
(US)

(73) Assignee: **MOTOROLA SOLUTIONS, INC.**,
Chicago, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/609,982**

(22) Filed: **Jul. 7, 2017**

Related U.S. Application Data

(62) Division of application No. 29/541,262, filed on Oct.
1, 2015, now Pat. No. Des. 818,513.

(51) **LOC (11) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/202; D16/218**

(58) **Field of Classification Search**
USPC D16/200, 202–206, 208, 218, 219;
348/373–376; 396/535, 539–541;
D14/138 C, 138 R, 203.3, 203.4, 250,
D14/345, 440, 449
CPC G03B 15/03; G03B 17/02; G03B 17/04;
G03B 17/56; G03B 19/04; H04N 5/2251;
H04N 5/2252; H04N 5/2253; H04N
5/2254; H04N 2101/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D537,094 S 2/2007 Lee
D616,901 S 6/2010 Ward et al.

D617,821 S 6/2010 Kaplan et al.
D630,236 S 1/2011 Lian
D633,930 S 3/2011 Dinger et al.
D638,458 S 5/2011 Miyamori et al.
D641,771 S * 7/2011 Sasaki D16/202
D651,632 S 1/2012 Kim et al.
D692,473 S 10/2013 Kawaguchi et al.
D695,806 S * 12/2013 Konishi D16/202
D715,347 S * 10/2014 Troxel D16/202
D729,295 S 5/2015 Onruang
D735,259 S * 7/2015 Vermaak D16/218
D737,878 S * 9/2015 Zhang D16/218
D747,379 S * 1/2016 Onruang D16/202
D754,767 S * 4/2016 Sandy D16/202

(Continued)

Primary Examiner — Ramzi S Almatrahi

(74) *Attorney, Agent, or Firm* — Raguraman Kumaresan

(57) **CLAIM**



The ornamental design for a communication device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a communication device showing our new design;
FIG. 2 is a rear perspective view thereof, with the lens rotated towards the rear surface;
FIG. 3 is a front view of FIG. 1;
FIG. 4 is a rear view thereof;
FIG. 5 is a first side view thereof;
FIG. 6 is a second side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

The broken lines shown in FIGS. 1-8, that are immediately adjacent to the shaded areas, and define unshaded regions, represent the bounds of the claimed design and form no part of the claimed design, while all other broken lines depict portions of the communication device in which the design is embodied that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D754,769	S	*	4/2016	Patulski	D16/202
D755,271	S		5/2016	Patulski et al.	
D770,553	S	*	11/2016	Schild	D16/202
D794,695	S	*	8/2017	Zhang	D16/218
D797,836	S	*	9/2017	Li	D16/218
D802,644	S	*	11/2017	Lee	D16/202
D806,774	S	*	1/2018	Ahman	D16/203
2013/0038728	A1		2/2013	Kim	
2014/0160349	A1		6/2014	Huang et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8