



US00D849255S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,255 S**
Colleran (45) **Date of Patent:** **** May 21, 2019**

(54) **ARM SLEEVE**

(71) Applicant: **Jason Colleran**, Chamblee, GA (US)

(72) Inventor: **Jason Colleran**, Chamblee, GA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/622,559**

(22) Filed: **Oct. 18, 2017**

(51) **LOC (11) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/190**

(58) **Field of Classification Search**

USPC D24/189-192; D2/828-830;
D3/215-217, 222; D29/101.1
CPC A45F 3/04; A45F 3/14; A45F 5/00; A45F
2003/045; A61F 5/026; A61F 5/05808;
A61F 5/028; A61F 13/146; A61F 5/3738;
Y10S 128/19; A61H 1/02; A61H 1/0266;
A61H 1/0274; A61H 1/0281
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,598,703 A * 7/1986 Lindemann A61F 5/3738
602/20
5,628,725 A 5/1997 Ostergard
5,737,773 A 4/1998 Dicker
6,106,493 A 8/2000 Rozell
(Continued)

Primary Examiner — Jennifer L Watkins

(74) *Attorney, Agent, or Firm* — F. Wayne Thompson, Jr.;
Asgard Patent Services, LLC


(57) **CLAIM**

The ornamental design for an arm sleeve, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an arm sleeve, when worn by a person, in accordance with the present invention; FIG. 2 is a side view of the arm sleeve shown in FIG. 1; FIG. 3 is a back view of the arm sleeve shown in FIG. 1; FIG. 4 is a top view of the arm sleeve shown in FIG. 1 lying flat, wherein the arm sleeve is not being worn by a person; FIG. 5 is a bottom view of the arm sleeve shown in FIG. 4; FIG. 6 is a right side view of the arm sleeve shown in FIG. 4; FIG. 7 is a left side view of the arm sleeve shown in FIG. 4; FIG. 8 is a front view of the arm sleeve shown in FIG. 4; FIG. 9 is a rear view of the arm sleeve shown in FIG. 4; FIG. 10 is a top view of a strap used to position the arm sleeve shown in FIG. 4 on the torso of a person, wherein a symbolic break in the length is represented by a centrally located pair of adjacent lines. The appearance of any portion of the article between the break lines forms no part of the claimed design; FIG. 11 is a bottom view of the strap shown in FIG. 10; FIG. 12 is a side view of the strap shown in FIG. 10; FIG. 13 is a top view of a strap used to secure a portion of the arm sleeve shown in FIG. 4 about the forearm of a person, wherein a symbolic break in the length is represented by a centrally located pair of adjacent lines. The appearance of any portion of the article between the break lines forms no part of the claimed design; FIG. 14 is a bottom view of the strap shown in FIG. 13; and, FIG. 15 is a side view of the strap shown in FIG. 13. The broken lines with shorter segments shown in FIGS. 1-3 illustrate an environment and form no part of the claimed design. The portions of the arm sleeve shown in broken lines with longer segments represent stitching and form no part of the claimed design. The hatching appearing on the arm sleeve indicates portions of hook-and-loop fasteners.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,398,746	B2 *	6/2002	Bramlage	A61F 5/24 128/869
6,691,327	B1 *	2/2004	Meyer	A41D 13/0512 2/268
6,709,411	B1	3/2004	Olinger	
D667,956	S *	9/2012	Chiang	D24/190
8,287,478	B2 *	10/2012	Ostergard	A61F 5/3723 128/846
D713,044	S *	9/2014	Eriksson	D24/190
2006/0026732	A1	2/2006	Nordt, III et al.	
2010/0088803	A1	4/2010	Orloff	
2010/0210985	A1 *	8/2010	Kuorak	A61F 5/3723 602/20

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6



FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12



FIG. 13



FIG. 14




FIG. 15