



US00D849361S

(12) **United States Design Patent**
Mouquet

(10) **Patent No.:** **US D849,361 S**

(45) **Date of Patent:** **** May 28, 2019**

- (54) **BELT**
- (71) Applicant: **Hermes Sellier (Société Par Actions Simplifiée)**, Paris (FR)
- (72) Inventor: **Philippe Mouquet**, Paris (FR)
- (73) Assignee: **Hermes Sellier (Societe Par Actions Simplifiee)**, Paris (FR)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/608,227**
- (22) Filed: **Jun. 20, 2017**

- 581,709 A * 5/1897 Gair A41F 9/002
2/312
- 985,321 A * 2/1911 Basch A41F 11/16
2/318
- 1,263,729 A * 4/1918 Arons A41F 5/00
2/302
- 1,459,750 A * 6/1923 Schreiber A41F 9/002
2/115
- 1,597,508 A * 8/1926 Brenner A41F 9/002
2/302
- 1,597,734 A * 8/1926 Sousa, Jr. A41F 9/002
2/308
- 1,928,137 A * 9/1933 Rowland A41F 19/00
2/309
- 2,160,368 A * 5/1939 Monesson A41F 9/002
2/321

(Continued)

(30) **Foreign Application Priority Data**

Jan. 19, 2017 (WO) DM/094351

(51) **LOC (11) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D2/627**

(58) **Field of Classification Search**

USPC D2/624–629, 631, 633–640, 701, 859;
D3/224; D24/190; D29/101.1, 101.3
CPC A41F 11/00; A41F 11/02; A41F 11/04;
A41F 11/06; A41F 11/14; A41F 11/16;
A41F 11/18; A41F 17/02; A41F 17/04;
A41F 19/00; A41F 3/02; A41F 5/00;
A41F 7/00; A41F 9/002; A62B 35/00;
B60R 2022/006; B60R 2022/008; B60R
22/00; B60R 22/10; A45F 2003/144
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D7,791 S * 10/1874 Bates D2/637
- 429,910 A * 6/1890 Hellenberg A41F 9/002
2/300
- D20,094 S * 8/1890 Patching D2/631

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Clare Ann Gannon

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP


(57) **CLAIM**

I claim the ornamental design for a belt, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a belt of the claimed design;
 FIG. 2 is a front elevational view of the belt shown in FIG. 1;
 FIG. 3 is a rear elevational view of the belt shown in FIG. 1;
 FIG. 4 is a right side elevational view of the belt shown in FIG. 1;
 FIG. 5 is a left side view of the belt shown in FIG. 1;
 FIG. 6 is a top plan view of the belt shown in FIG. 1;
 FIG. 7 is a bottom plan view of the belt shown in FIG. 1;
 and,
 FIG. 8 is a front perspective view of a belt shown in FIG. 1 in an open configuration.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2,644,994 A * 7/1953 Smith A41F 9/002
24/182
3,579,641 A * 5/1971 Larson A41F 9/002
2/325
D243,293 S * 2/1977 Scheimberg A41F 9/002
D2/625
4,100,655 A * 7/1978 Langley A41F 9/002
2/322
D255,397 S * 6/1980 Button D2/637
4,463,455 A * 8/1984 Kirk A41F 9/002
2/316
5,307,582 A * 5/1994 Quintel A01K 27/001
224/183
5,762,619 A * 6/1998 Simon A61F 5/028
2/312
5,970,526 A * 10/1999 Weathers A41F 9/002
2/311
D728,196 S * 5/2015 Stevens D2/637
9,581,414 B1 * 2/2017 Mironski F41C 33/046
2003/0098027 A1 * 5/2003 Mori A41F 9/002
128/876
2013/0025030 A1 * 1/2013 Verbakel A41F 11/16
2/311
2014/0304897 A1 * 10/2014 Acton A41D 27/085
2/300
2015/0013619 A1 * 1/2015 Kahana, Jr. A01K 1/04
119/770

* cited by examiner




FIG.1



FIG.2




FIG.3



FIG.4



FIG.5



FIG.6



FIG.7




FIG.8