



US00D849381S

(12) **United States Design Patent**  
**Howe**

(10) **Patent No.:** **US D849,381 S**

(45) **Date of Patent:** **\*\* May 28, 2019**

(54) **SOLE STRUCTURE**

(71) Applicant: **Under Armour, Inc.**, Baltimore, MD (US)

(72) Inventor: **Justin Howe**, Baltimore, MD (US)

(73) Assignee: **UNDER ARMOUR, INC.**, Baltimore, MD (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/592,830**

(22) Filed: **Feb. 2, 2017**

(51) **LOC (11) Cl.** ..... **02-04**

(52) **U.S. Cl.**  
USPC ..... **D2/957; D2/947; D2/951; D2/954; D2/960**

(58) **Field of Classification Search**  
USPC ..... D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103  
CPC ..... A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D299,681 S \* 2/1989 Miller ..... D2/957  
D632,879 S \* 2/2011 Merkazy ..... D2/953  
D672,543 S \* 12/2012 Williams, Jr. .... D2/951  
D714,036 S \* 9/2014 Etcheverry ..... D2/951  
D735,454 S \* 8/2015 Yun ..... D2/951

D744,214 S \* 12/2015 McMillan ..... D2/951  
D767,265 S \* 9/2016 Brown ..... D2/951  
D777,411 S \* 1/2017 Howe ..... D2/951  
D788,421 S \* 6/2017 Gibson ..... D2/951  
D802,897 S \* 11/2017 Howe ..... D2/953  
D812,879 S \* 3/2018 Lapouille ..... A43B 13/181  
D2/957  
D812,880 S \* 3/2018 Lapouille ..... D2/957  
D814,755 S \* 4/2018 McManus ..... D2/957  
D824,151 S \* 7/2018 Newman ..... A43B 7/1465  
D2/957  
10,045,589 B2 \* 8/2018 Abshire ..... A43B 13/181  
2013/0152428 A1 \* 6/2013 Bishop ..... A43B 13/16  
36/103

(Continued)

*Primary Examiner* — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Edell, Shapiro & Finnan, LLC

(57) **CLAIM**


The ornamental design for a sole structure, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom and front view in perspective of a sole structure showing my new design;  
FIG. 2 is a bottom and rear view in perspective thereof;  
FIG. 3 is a top view in plan thereof;  
FIG. 4 is a bottom view in plan thereof;  
FIG. 5 is a lateral side view in elevation thereof;  
FIG. 6 is a medial side view in elevation thereof;  
FIG. 7 is a front view in elevation thereof; and,  
FIG. 8 is a rear view in elevation thereof.

The sole structure illustrated is a first embodiment showing a right-footed form of the sole structure for a shoe. A second embodiment of the sole structure is for the left-footed form of the sole structure for a shoe, which is a mirror image of the right-footed form, and which is not illustrated. The broken line illustration of environmental structure in the figures is not part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2014/0137437 A1\* 5/2014 Nakano ..... A43B 7/1465  
36/102  
2016/0353836 A1\* 12/2016 Luedecke ..... A43B 13/16

\* cited by examiner




FIG.1




FIG. 2






FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8